AUTHOR INDEX*

NOTE

Committee and Special Reports are published in rear forms as part of AHA News.

The reports follow text and are continued into rear ad pages.

A

Abboud S, 237, 585 Abd-Elfattah A, V-129 Abel JG, V-156 Abi-Mansour P, 792 Acinapura AJ, V-109 Acker MA, 155 Acquatella H, 556 Adams MR, 1364, I-20, I-29 Addonizio LJ, V-52 Adler S, III-14 Agarwal JB, 786 Agras WS, I-104, I-164 Akasaka T, 262 Akselrod S, 237 Alderman EL, 998, V-56 Alderman MH, I-101, I-168 Alderson PO, 181 Alyono D, 835 Ambrosio G, 906 Amuchastegui LM, 610 Anastassiou I, V-1 Anderson DE, I-89, I-158 Anderson EA, I-95, I-215 Andrew M, 1043 Anthuber M, 101 Appadoo B, 259 Applegate RJ, 1409 Apstein CS, V-150 Archibald DG, VI-54 Arcidi JM Jr, V-22 Armentano R, 1115 Asano H, V-113 Asano K, 68 Ashton JH, 952 Askenase AD, 786 Atwood JE, 312 Austen WG, III-72 Axelrod HI, V-28

B

Bacharach SL, 1214 Bache RJ, 835 Bahnson HT, 827, V-48 Baim DS, 1298 Bajaj A, 469 Baldwin JC, 998, V-43, V-81 Ban T, 115 Bär F, II-63 Barber MJ, 383 Bardy GH, 1053 Barnathan ES, 125 Barra JG, 1115 Barzilai B, 1067 Bassett AL, 1146 Bates ER, 710, 884, II-79 Bauersachs RM, 15 Bauman RP, 705 Baumann FG, III-1, V-28 Baumgartner WA, V-6 Beals TF, 710 Bear G, III-1 Becker C, 843 Becker G, III-1

Belenkie I, 974 Bell AJ, 289 Bell SP. 357 Benson H, I-104 Benson LN, 1081, III-61, III-93, V-168, V-174 Beppu S, 777 Berenson GS, 272 Bergmann SR, 687 Berguson P, III-1 Berman AD, 1298 Berry C, 657 Bharati S, 394 Bhatia SJS, 819 Bigger JT Jr, 181 Billingham ME, V-81, V-86 Bindon W, V-146 Bingham SE, 469 Black AJ, 891 Blackburn HW, I-84, I-164 Blackman MS, III-19 Blackstone EH, V-93 Blanche C, III-108 Bland EF, 1190 Blumenthal JA, I-104, I-130, I-145 Bohn D, III-93 Bolger AF, III-108 Bolli R, 324, 458 Bonow RO, 1214 Bonzel T, 768 Booker M. 1262 Borer J, 142 Borkon AM, V-6 Bossi M, II-52 Bourdillon PDV, II-79 Bove EL, III-19 Boveja B, 394 Bowie EJW, 898 Boyden PA, 1155

C

Cain ME, 1329 Calfee RV, 1176

Bradley AB, 1353

Bradshaw BS, 1245

Brandt B III, V-33

Brandt PWT, 44

Bren GB, II-18

Brown JE, 891 Brown M, 687

Brown MA, 44

Brown MS, 504

Brundage BH, 135, 1262

Buda AJ, 163, 929, 943 Buja LM, 952

Burrows PE, 298, 1081

Buchanan JW Jr, 1127, 1380

Brunsting LA, V-129

Buckley MJ, III-72

Burrows F, III-14

Buxton AE, 332

Byrum CJ, III-19

Breyer RH, V-161 Brody MJ, I-95, I-150

Brandenburg RO, 963A

Braunwald E, 142, II-2

Cambien F, 266 Campbell WB, 952 Cannon PJ, 181 Carew TE, 173 Carleton RA, I-124, I-164, I-198 Caromilas J, 181 Cascio WE, 1380 Cass D, III-14 Castaneda AR, III-39 Castaner A, 280 Catalioti F, 556 Cates CU, 678, 1135 Cernaianu A, 618 Chandraratna PAN, 15, 628 Chaux A, III-108 Chesebro JH, 142, 898 Chesney MA, I-104, I-168 Chiavarelli M, III-34, III-53 Chiu RC-J, V-146 Chomka EV, 1262 Choraria SK, 1307 Christiansen C, 753 Christie J, 539 Clarke BJ, III-77 Clarkson TB, 1364, I-20, I-29, I-101, I-158 Claude J-R, 266 Cleeman JI, 960 Cobb LA, I-139, I-202 Cohen D. 394 Cohen LS, 142 Cohen M, 1037 Cohen R, 585 Cohn JN, V-62, VI-1, VI-54 Cohn LH, 819, V-65 Colan SD, 1029 Coles JG, 298, III-14, III-61, III-93, III-117, V-168, V-174 Collins JJ, 819 Colvin SB, V-28 Condos WR Jr, 1020 Conway M, 1009 Cooper R, 280 Corin WJ, 59 Corr PB, 404, I-208 Cosgrove DM, III-97 Costa PT Jr, I-145 Costanzo-Nordin MR, V-71 Couper G, III-14 Cox JL, 1329 Cramer MM, 1074 Crottogini AJ, 1115 Cunningham JN Jr, V-109 Cunningham MJ, 1298 Czer LSC, III-108

Califf RM, V-13

D

Dai X-Z, 835 Dalen J, 142 Dalsey SC, 1337 D'Ambra MN, III-72 Damske BA, 1214 Danielson GK, III-67, III-88 Das DK, V-161 Dasmahapatra HK, III-14, III-117

^{*}Roman numbers indicate articles published in supplements.

AUTHOR INDEX

Daughters GT, 998 Davalos V, 556 David TE, III-102 Davis JR, 1388 Davis JW, 363 DeBoe SF, 710, 884 De Bruyne B, V-1 Dec GW, 306 de Feyter PJ, II-63 De Robertis M, III-108 de Zwaan C, II-63 Dell'Italia LJ, 32 del Nido PJ, III-93, V-168, V-174 Dembroski TM, I-89, I-150 Denny FW, 963 DeQuattro V, I-84, I-198 DeRoode M, 442 DeSanctis RW, 963A DiMarco JP, 21, 802 Dimsdale JE, I-150, I-198 Dinsmore RE, 963A DiSesa VJ, 819, V-65 Ditchey RV, 357 Diver DJ, 1298 Dixon EG, 1176 Dodge HT, 142, 963A Doubilet P, 52 Douglas FL, 1312 Douglas JS Jr, 792, 891 Douglas PS, 77, 1206 Drajer S, 610 Drexler H, 1344 Driscoll DJ, III-88 Drusin RE, V-52 Dubarsky H, 1196 Ducimetiere P, 266 Duckett S, 155 Duff HJ, 810 Duncan KF, III-117 Dunn FG, 254

E

Eaker E, I-84, I-198 Easter R, 1337 Ebert PA, III-83 Edmunds L, 77 Egashira K, 480 Ehsani AA, 548 Eifler CW, 1245 Ekelund L-G, 1224 Elefteriades J, III-132 Eliot RS, I-150, I-198 Elkayam U, 577 Ellison RL, 312 Engel BT, I-104, I-215 Engelman RM, V-161 Engle CL, 1127 Epstein M, 1029 Epstein SE, 1214 Ernst EEW, 1110 Esser PD, 181 Evander E, 843

F

Faidutti B, V-1 Falkner B, I-89, I-164 Fallon JT, 306 Faltemeyer W, 155 Farina ML, II-52 Faude F, 1344 Fedor JM, 1319 Feero S, 1337 Feigl EO, 737 Feindel CM, III-102 Feldman MS, 786 Feneley MP, 363 Fenoglio JJ, 1155 Ferguson JL, 1262 Fernandez J, 618, III-137 Fernandez LG, 610 Ferrell B, 572 Figulla HR, 208 Finci L, V-1 Fine MJ, 1176 Fisch C, 963A Fischer EIC, 1115 FitzGerald GA, 6 Fitzgerald PJ, 850 Flaherty JT, 906 Fletcher R, VI-54 Folkow B, I-10, I-95, I-158 Fong DS, 1245 Fonger J, 217 Ford E, 280 Foreyt JP, I-104, I-168 Forman MB, 469, 678, 1135 Fortunato M, 610 Foster JR, 1380 Fowler MB, V-86 Frame LH, 1155 Francioli PB, 376 Francis CK, 142 Francis GS, VI-11 Franklin D, 488 Franz MR. 1101 Franzosi MG, II-52 Frederickson ED, 1312 Freedman DS, 272 Freedom RM, 298, 1081, III-61, III-117 Friedman M, I-168, I-215 Friedman PL, 585 Friesinger GC, 469, 678, 1135, 963A Frist W, V-81 Frohlich ED, 254 Frostick S, 1009 Fujita M, 488, 1232 Fujiwara H, 981 Fujiwara T, 981, 1092 Fulop JC, III-123 Fung AY, 943, II-79 Furberg CD, I-101, I-145, I-198 Furuse AK, 68 Fuster V, 1037 Fye WB, 493

G

Gall SA, 363 Gallagher JJ, 1319 Gallagher KP, 163, 929, 943, 1373 Galloway AC, V-28 Gambhir DS, 597 Ganz P, 585 Gao SZ, V-56 Garcia F, 450 Garcia O, 450 Gardner TJ, V-6, V-39 Gauduel Y, V-180 Gaynor JW, 363 Geha AS, III-132 George L, 109 Gerren RA, 929 Gersony WM, V-52 Gervin CA, III-8 Gettes LS, 1127, 1380

Gewitz MH, III-77 Gharagozloo F, V-65 Ghidoni JJ, 1353 Gianturco C, 891 Gilday DL, 298 Gilmour RF Jr, 1388 Girotti AL, 610 Glantz SA, 746 Glass L, 1196 Glassman E, V-28 Glaubitz M, 208 Glauser MP, 376 Gold HK, 306, V-81 Goldberg LI, 1312 Goldstein JL, 504 Goldstein JP, 717, V-129 Golino P, 173, 952 Gomez-Mancebo JR, 556 Gonzalez-Lavin L, 618, III-137 Goormastic M, III-97 Gordon DJ, 1224 Goto M, 1092 Gott VL, V-6, V-39 Grady KL, V-71 Graham E, 1053 Gray RJ, III-108 Green FJ, 383 Green LS, 1290 Greenberg M, 21 Greene HL, 1053 Greenfield JC Jr, 705 Greenfield LJ, III-8 Grekin RJ, 884 Grice WN, V-150 Grieco JG, V-71 Griffith BP, 827, V-48 Grines CL, 1373 Gross GJ, 191, 916 Grossi EA, III-1, V-28 Grossman W, 1298 Grousset C, V-180 Grundy SM, 523 Grunkemeier G, III-137 Guarnieri T, 217 Guevara MR, 1196 Guo ZM, 1422 Guyene TT, 753 Guyton RA, V-22

H

Haber E, 306, V-81 Haberl R, 101 Hackney K, 1206 Hagler DJ, III-53 Haines DE, 802 Hamashima Y, 981 Hammond GL, III-132 Hammond MG, 259 Hammond RL, 155 Hande KR, 678 Hannan PJ, 1224 Hansen DE, 998 Hardesty RL, 827, V-48 Harrell FE Jr, V-13 Hartley CJ, 458 Hartley LH, I-168, I-215 Hashim SW, III-132 Hassager C, 753 Hatcher CR Jr, V-22 Hatle LK, V-86 Haws CW, 1290 Hayashi Y, 480 Haynes SG, I-84, I-139

Hazuda HP, 1245 Healy B, V-39 Hedges JR, 1337 Hein RA, V-65 Helfant RH, 786 Hendrix GH. I-89, I-168 Henry DP, 383 Henry JP, I-89, I-158 Herd JA, I-89, I-168 Hess ML, 458 Hess OM, 59 Hill R. 324 Hiller WDB, 1206 Hillis D, 142 Himmelstein SI, 705 Hiramatsu O, 1092 Hiratzka LF, V-33 Hirose H, III-24, III-45, V-141 Hirshfeld JW Jr, 125 Hlatky MA, V-13 Hoadley SD, 1020 Hoff SJ, V-6 Hoffman BF, 1155, 1397 Hohmann T, 324 Hoing S, 1344 Holman WL, 1329 Homans DC, 835 Horneffer PJ, V-6, V-39 Hsieh W-R, III-83 Hsueh W. 577 Hugenholtz PG, II-63 Hughes CV, VI-54 Hultgren HH, 963A Humes RA, III-67 Hunt SA, V-43, V-56, V-86 Hunter CE, V-28 Hussein H, 1353 Hyde J, 1224

I

Ianuzzo D, V-156 Ideker RE, 1176 Imparato AM, III-1 Imura H, 115 Inoue H, 383, 637 Irvin CW Jr, I-139, I-198 Isobe M, 1251 Ivanov J, III-123 Izumi S, 777

J

Jacobowitz IJ, V-109
Jacobs DR, 1224
Jacobs ML, III-72
Jacobus WE, 906
Jacqueson A, 266
James DH, 850
James SA, 1-60, I-84, I-139
Janicki JS, VI-40
Jesse MJ, I-101
Jimoh A, 657
Johnson LL, 181
Johnson TA, 1127, 1380
Jones EL, III-146
Jones RA, III-39
Josephson ME, 332
Joubert T, 394
Joyner RW, 860
Julius S, I-101, I-202

Julsrud PR, III-34 Just H, 768, 1344

Kadish AH, 217

K

Kadoba K, V-141 Kajiya F, 1092 Kammerling JJ, 383 Kanazawa S, 1092 Kaplan JR, I-20, I-29, I-89, I-158 Kaplan KR, 1364 Karp RB, V-93 Kashima T, 201 Kasper W, 768 Kass DA, 1422 Kass RM, III-108 Kato H, 262, III-24, III-45 Kaufmann PG, I-104, I-158, I-202 Kavey R-EW, III-19 Kawai C, 981, 1232 Kawanishi DT, 15, 628 Kawashima Y, III-24, III-45, V-141 Keller AM, 181 Kemkes BM, 101 Kemp S, III-141 Kenny J. 52 Kerber RE, V-33 Khalilullah M. 597 Khanna SK, 597 Khaw BA, 306, V-81 Kielmanowicz S, III-61, V-168 Kienzle MG, 860 Kihara Y, 1232 Kilpatrick D, 289, 1282 Kim SG, 1 Kimura S. 1146 King SB III, 792, 891 Kingma I, 875, 974 Kinoshita N, 777 Kirklin JK, V-93 Kirklin JW, V-93 Kirkpatrick SE, 109 Kirshenbaum JM, 819 Kishimoto H, III-45 Kisslo JA, 363 Kiyonaga K, 201 Kleaveland JP, 125 Klocke FJ, 1183 Klotman PE, 705 Knatterud G, 142 Kobrin I, 254 Kodama I, 226 Kohler TR, 1074 Kohman L, III-19 Kohya T, 1146 Koizumi K, 262 Konishi T, 1232, V-150 Kono A, 1422 Kopf GS, III-132 Kormos RL, V-48 Kosta PD Jr, I-89 Kozlovskis PL, 1146 Kramer M, V-109 Krantz DS, I-84, I-145 Krayenbuehl HP, 59 Kreuzer H, 208 Kron J, 1053 Krukenkamp IB, V-122 Kujovich JL, 1061 Kukreja RC, 458 Kulick D, 577 Kuller LH, I-139, I-177 Kuroda O, III-24

Kussmaul WG, 125 Kvo S, V-113

Labin IN, 1262

L

Lam JYT, 898 Lamberth WC Jr. V-33 Lamberti JJ, 109 Lamparello PJ, III-1 Lancaster JL, 32 Lang P, III-39 Langford DA, V-22 Laniado S, 237 Larson SM, 1214 Lasater TM, I-124 Laschinger JC, V-28 Lasher JC, 32 Laskey WK, 125 Latham RD, 1020 Laub G, III-1 Laurence RG, V-65 Lavercombe PS, 289 Law WR, 1262 Lazzari J, 610 Leary WP, 259 LeBlanc J, V-104 Ledingham J. 1009 LeDoux JE, I-2 Lee A, 827 Lee JT, 1053 Lee KL, V-13 Lee ME, III-108 Lehmann KG, 312 Lehmann MH, 759 Leiboff RH, II-25 Leimgruber PP, 792 Leinbach RC, 306 Leizorovicz A, II-44 Lemeshow S, V-161 Lenfant C, 960 Lerman BB, 21, 802 Lerrick KS, 181 Lev M, 394 Levenson RM, I-104, I-130, I-168 Levine JH, 217 Levine TB, V-62 Levitsky S, V-122 Levy MN, I-95, I-202 Levy RJ, 1061 LeWinter MM, 357 Lewis B, III-137 Liberman HA, V-22 Liedtke AJ, 667 Liem LB, 1101 Light KC, I-67, I-89, I-150 Light RT, 469 Lima JA, 875 Linderer T, II-44 Lindsay BD, 601 Little AG. 843 Lochan R, 597 Lock JE, III-39 Loop FD, III-97 Lopez Morillos MA, 610 Loughhead MG, 289 Lown B, I-158, I-186, I-198 Ludbrook P, 142 Lux RL, 1290 Lytle BW, III-97

M

MacDonald RPR, 974 Machii K, 1251

AUTHOR INDEX

Magilligan DJ Jr, III-141 Magro AE, III-72 Maharaj B, 259 Mahmarian JJ, 324 Maier GW, 363 Mair DD, III-67 Malinverni R, 376 Mancini GBJ, 32, 710, 884, 1274, 1373 Mannion JD, 155 Manolio TA, V-6 Manuck SB, 1364, I-29, I-84, I-158 Manyari DE, 875 Marchlinski FE, 332 Marcus ML, 245, 728, V-33 Margolis SF, III-72 Mark DB, V-13 Markis JE, 142 Maroko PR, 173, 610 Maron BJ, 1214 Marshall DR, 687 Martin W III, 548 Massie B, 1009 Mathewson JW, 109 Matloff JM. III-108 Matrai A, 1110 Matre K. 90 Matsuda H, III-24, III-45, V-141 Matsuda M, 981 Matsumura M. V-113 Matsuoka S, 1092 Matta F, II-52 Maughan WL, 1422 Maurer G, III-108 Mauri F, II-52 Mayer JE, III-39 McAnulty J, 1053 McCoy CE, 1312 McDaniel MD, 850 McDougall IR, V-81 McElroy PA, VI-40 McGiffin DC, V-93 McGillem MJ, 710, 884, 1373 McGlaughlin PR, III-61 McGoon DC, 1037 McGrath LB, III-137 McIntosh N, 577 McKay CR, 628 McKay LL, 1298 McKay RG, 1298 McManimon SP, 929 McNatt JM, 952 McPherson DD, V-33 Meador JT, 1176 Meier B, V-1 Meiselman HJ, 15 Melendez FJ, V-65 Melton HE, 1067 Menasche P, V-180 Merillat JC, 217 Messerli FH, 254 Michael LH, 458 Michel IM, 952 Mickle DAG, V-168, V-174 Mietus-Snyder M, III-39 Mikelson JK, 710 Miller DC, 998 Miller DD, 990 Miller JG. 1067 Miller JM, 332 Miller NE, I-202, I-150 Miller RE, I-101, I-139 Mirsky I, 343 Mirvas DM, 697 Mitchell LB, 810

Miyazaki S, 1232 Moes F, III-61 Mohr GA, 1067 Mohri N. 68 Mon GA, 610 Monrad ES, 59 Montgomery DG, 1274 Moore EN, 217 Mor-Avi V, 237 Moret P, V-1 Могеуга Е, 610 Mori W, 68 Morris DC, V-22 Morris JJ III, 717 Motamedi M, 1353 Motoyama T, V-113 Mouas C, V-180 Mudge GH Jr, 819 Mueller H, 142 Muhlbaier LH, V-13 Murakami T, 59 Murali S. 827 Murdock DK, V-71 Murphy CE, 717, V-129 Murphy LE, V-129 Murphy MB, 1312 Murphy MS, V-28 Murray JJ, 6 Musewe NN, 1081 Myerburg RJ, 1146 Myers HF, I-84, I-150

N

Naasz C, V-86 Nagai R, 1251 Nagamoto T, 201 Nagata S, 777 Nair M, 597 Nakada T, V-141 Nakamura M, 480 Nakamura Y, 1232 Nakano S, III-24, III-45 Nakao K, 115 Nakao S, 201 Nakaoka H, 1251 Nance DR, 1074 Natelson BH, I-95, I-208 Nattel S, 442, 1196 Nellis SH, 667 Nemanich JW, VI-46 Nerem RM, 648 Neuhaus K-L, II-44 Newfeld EA, III-29 Nicklas JM, II-79 Nikaidoh H, III-29 Nikkilä EA, 529 Nimura Y, 777 Ning X-H, 929 Nishigaki K, III-45 Nishimura K, 115 Nobuyoshi M, 1251 Nonogi H, 59, 1232 Norris RM. 44 Norwood WI, III-77 Nowak J. 6

0

O'Connell JB, V-71 O'Gara PT, 1214

O'Neill W. II-79 O'Rourke RA, 1353, 1409 O'Toole ML, 1206 Oates JA, 6 Obata K, 115 Obata K, 115 Obrist PA, I-95, I-150 Offord KP, III-67 Ogasawara Y, 1092 Ogawa M, III-24, III-45 Ogletree ML, 952 Okumachi F, 262 Okumura K, 115 Olafsson B, 1135 Oldham HN, V-13 Olivari MT, V-62 Olley PM, 1043, III-61 Omoto R, V-113 Onodera T, 981 Osaka T, 226 Osterholzer G, 101 Otani H, V-161 Overholt ED, 21 Over PE, V-43, V-81

P

Page RL, 1155 Palacios IF, 306 Palmez JC, 450 Pampallona S, II-52 Pantapoulos D, 601 Park Y-D, 777 Parker JO, 572 Parness IA, 1029 Pasipoularides A, 1020 Passamani ER, 142 Pasternack, PF, III-1 Patel R. 280 Pearce JA, 1353 Pearson TA, V-6 Pelc LR, 191 Pelletier GB, 990 Pellom GL, 717 Peniston C, V-156 Peper WA, III-97 Pepine CJ, 963A Pérez JE, 1067 Peterson E, III-141 Peterson J, 1053 Peterson KL, 343 Pichel RH, 1115 Pickering TG, I-77, I-104, I-215 Pieper GM, 916 Pifarre R, V-71 Pilcher J, 1307 Pitt B, I-101, I-208, II-79 Piwnica A, V-180 Plappert T, 52, 77 Plumb VJ, V-93 Pogwizd SM, 404 Pollak ER, 843 Popp RL, V-86 Porter CJ, III-67 Pou A, 1135 Powers ER, 142 Pratt CM, 324 Price R, 469 Pryor DB, V-13 Ptacin MJ, 539 Pudifin DJ, 259 Puett DW, 469, 678, 1135

Puga FJ, III-34, III-53, III-67

Miyatake K, 777

Q

Quantz M, 442 Quinlan W, III-137 Qureshi DG, III-8

Rabin B, 827

R

Rabinovitch M, 1043, III-61 Radda G. 1009 Raheja S, 952 Rahimtoola SH, 15, 577, 628 Raichlen J, 77 Rainer C, 15 Rajagopalan B, 1009 Rajfer SI, VI-46 Rakowski H, III-123, V-104 Ramanathan KB, 697 Ramza BM, 860 Randall WC, I-104, I-215 Rankin JS, 363, V-13 Rapaport E, 963A Redd DCB, 792 Reddy PS, 827 Reemtsma K, V-52 Reeves TJ, 963A Reichek N, 77, 1206 Reichenspurner H, 101 Reid CL, 15, 628 Rein AJJT, 1029 Reis DJ, I-2, I-95, I-208 Reison DS, V-52 Reiter SJ, 728 Reitz BA, V-6 Rembert JC, 705 Remme WJ, II-63 Repine JE, 458 Res J. II-63 Resser KJ, III-108 Reuter SR, 450 Reves MJG, V-13 Rice MJ, III-67 Rich S, 135 Richard J-L, 266 Righetti A, V-1 Riis BJ, 753 Riles TS, III-1 Ring WS, V-62 Rishton M, III-72 Ritter DG, 1037 Robbins RC, V-52 Roberts R, 142, 324, 458 Robertson T. 142 Robicsek F, 1319 Robinson C, I-177 Robinson JA, V-71 Robinson KA, 891 Rogué F. 610 Roig E, 280 Rolett EL, 850 Romano A, III-77 Rose BF, 572 Rose DM, V-109 Rose EA, V-52 Rosenberg H, III-61 Rosengarten M, 1196 Rosenman RH, I-95, I-145 Rosenthal A, III-19 Rosenthal M. 1245 Ross A. 142 Ross AM, II-1, II-18, II-57, II-88 Ross J Jr, 963A Rossen JD, VI-46

Roth A, 577
Rothbart ST, 601
Roubin GS, 792, 891
Rousou JA, V-161
Rowe RD, 1043, III-61
Roy D, 990
Ruberman W, I-168, I-198
Rubinstein RI, 786
Rumberger JA, 728
Russo P, III-88
Rutishauser W, V-1
Ryan TJ, 142, 963A
Rykiel MF, V-6

S

Sadeh D, 585 Safian RD, 1298 Sagar KB, 539 Sagawa K, 1422 Sahn DJ, 657 Saito Y. 115 Sakakibara H, 777 Saksena S, 394, 601 Salerno TA, V-156 Salter DR, 717, V-129 Salzman D, 52 Sanders SP, 1029 Sano T, III-24, III-45 Sasayama S, 1232 Sasyniuk BI, 427 Sawa Y, V-141 Scanlon PJ, V-71 Schaer DH, II-57 Schaff HV, III-67 Schatz RA, 450 Schmidt-Dohna J, 657 Schmitz J. 952 Schneiderman N, I-41, I-89, I-150 Schoen FJ, 109, 618, 1061 Schroeder JS, V-56 Schröder R, II-44 Schwartz CJ, 648 Schwartz H, II-25 Schwartz JS, 125 Schwartz PJ, I-104, I-215 Scott-Douglas NW, 875 Segall G, V-81 Segedal L, 90 Seldin DW, 181 Seligman KP, III-77 Selle JG, 1319 Sellers TD, 21 Selwyn A, 585 Sereika S, III-19 Serruys PW, II-63 Shakudo M, 262 Shanes JG, 971 Shapiro AP, I-101, I-198 Shargorodsky B, 237 Shekelle RB, I-84, I-145 Sheldahl LM, 539, VI-54 Shemin RJ, 819, V-65 Shepherd JT, I-89, I-150, VI-3 Sherret H, III-14, III-61, III-117 Shimazaki Y, III-24, V-141 Shimokawa H, 898 Shine KI, I-208 Shiratori K, 262 Shlafer M, 929 Shoup TA, 1067 Shrier A, 1196 Shulz B, 1337

Shumaker SA, I-139, I-198

Shumway NE, V-43 Shurman AJ, VI-46 Siegel RJ, 891 Silver MA, V-71 Silverman JF, V-56 Silverman NA, V-122 Simmons B. 280 Simon A, V-62 Simoons ML, II-63 Sirna S, V-33 Skinner JE, I-150, I-208 Slattery SA, III-123 Sleight P, 1009 Slinker BK, 357 Smallhorn JF, 298, 1081, V-104 Smiseth OA, 875 Smith CR, V-52 Smith ER, 875, 974 Smith RT Jr, 21 Snyder EL, 312 Sobel BE, 142, 687, 1067, II-39 Sobel M, III-8 Solchaga JC, 610 Sondheimer HM, III-19 Sonoda R, 115 Spear JF, 217 Spencer FC, V-28 Spiegel A, 77 Sprague EA, 648 Srinivasan SR, 272 St. John Sutton MG, 52, 77, 819 Stanford W. 728 Starling MR, 32, 1274 Starnes VA, V-43 Steele PM, 1037 Steffenino GD, V-1 Stein P. III-141 Steinbach BL, 648 Steinbeck G, 101 Steinberg D, 502, 508 Steinman RT, 759 Stephenson LW, 155 Stern M, 217 Stern MP, 1245 Stewart JM, III-77 Stinson EB, 998, V-43, V-56, V-81, V-86 Stirling MC, 929 Strandness DE Jr, 1074 Strauss HW, 306, V-81 Strohbehn JW, 850 Strøm V, 753 Sugawara K, 115 Sullivan HJ, V-71 Sunagawa K, 1422 Suryapranata H, II-63 Svenson RH, 1319 Swerdlow CD, 21, 1053, 1101 Syme SL, I-84, I-112, I-139 Sznajder JI, 843

T

Tadaoka S, 1092
Tajimi T, 343
Takaku F, 1251
Takami H, V-141
Takamoto S, V-113
Takao S, 262
Talajic M, 442
Talbott EO, 1-177
Tamura T, 657
Tan RC, 860
Tanaka H, 201
Tanaka M, 981

AUTHOR INDEX

Tang ASL, 1176 Taniguchi K, III-24, III-45 Tantenego MV, 469 Tarian PP. 394 Taylor AL, 952 Taylor D, 1307 Taylor L, 125 Taylor MJ, III-14 Tebbe U, II-44 Tenzer ML, 1262 Teoh KH, III-123 Thickman D, 786 Thom H, 1043 Thomas LJ III, 1067 Thompson CR, 974 Thompson ME, V-48 Thoresen CE, I-168, I-215 Thornton BC, 324 Théroux P, 990 TIARA Study Group, 610 Tikkanen MJ, 529 Tio FO, 450 Tobert JA, 534 Toggart EJ, 667 Tognoni G, II-52 Tomaru T, 68 Tomoike H. 480 Tong CP, III-123 Topol EJ, II-79 Torres JH, 1353 Toyama J, 226 Trento A, 827, V-48 Tristani FE, 539, VI-54 Trost DC, 1224 Trusler GA, 1043, III-14, III-61, III-93, III-117, V-104, V-174 Tsuboi N, 226 Tsuchimochi H. 1251 Tsujioka K, 1092 Tuero P, 610

U

Tyroler HA, 515, I-84, I-139

Uchida Y, 68 Ueda S, 1251 Ullyot DJ, III-149 Uretsky BF, 827

Turley K, III-83

Tyagi S, 597 Tyberg JV, 875, 974

167

Valantine HA, V-43, V-86 Valdes-Cruz LM, 657 Valois M, 427 van den Brand M, II-63 Vandenburghe N, 1074 van der Laarse A, II-63 van Domburg R, II-63 Van Lingen A, 1214 Vanhoutte PJ, 898 Velebit V. V-1 Ventura HO, 254 Verani MS. 324 Vered Z, 1067 Verheugt FWA, II-63 Vermeer F, II-63 Verrier RL, I-48, I-158, I-202 Verstraete M, II-31 Vetterlein F, 208 Villalobos L, 556 Villamater J, III-93 Virmani R. 469, 678, 1135 Vlahakes GJ, III-72 Vogel RA, 710, 1373 von Segesser L, V-1 Vrobel TR, 835

W

Wackers FJ, II-8 Wada Y, 1092 Waldman JD, 109 Waldo AL, V-93 Walker SJ, 289, 1282 Walling A, 990 Walsh RA, 32, 1274, 1409 Walton J, II-79 Wann LS, 539 Warltier DC, 191 Warnet J-M, 266 Wasserman AG, II-18, II-57 Wasserman K, VI-29 Wasty N, 601 Watanabe AM, 383 Watanabe I, 1127 Watanabe T, III-17 Waters DD, 990 Watkins L, V-6 Watkins LO, I-164 Webb CL, 1061 Webber LS, 272 Weber KT, VI-40 Weber M, 101 Weber RR, 1312 Wechsler AS, 717, V-129 Weder AB, 884 Wegscheider K, II-44 Weiderhold V, V-56 Weinberg SL, 963A Weingard KW, 1364, I-20 Weinstein JS, 1298 Weisel RD, III-123 Weisfeldt M, 906 Weisman HF, 217 Welch AJ, 1353 Whaley FS, 1224 Whipp BJ, VI-18 White CW, 245, 563

White HD, 44 Whitlock RML, 44 Wigle ED, V-104 Wild CJ, 44 Willerson JT, 142, 952 Williams DO, 142 Williams JF Jr, 963A Williams RB Jr, 1-95, I-117, I-150 Williams WG, 1043, III-14, III-61, III-93, III-117, V-104, V-174 Willshaw P, 1115 Wilson BH, 678 Wilson GJ, 298, V-168, V-174 Wilson RF, 245, 563 Winters GL, V-71 Wittnich C, V-156 Wolf PD, 1176 Wolf S, I-84, I-139 Wolfkiel CJ, 1262 Wollschlaeger H, 768 Woolf PK, III-77 Wu D-J. 981 Wu K-M. 1397 Wyman RM, 1298 Wyse DG, 810

Y

Yadav BS, 597 Yamada A, 480 Yamada K, 226 Yamaguchi T, 1251 Yasuda T, 306, V-81 Yasue H, 115 Yazaki Y, 1251 Yee EW, III-83 Yoganathan AP, 657 Yokote Y, V-113 Yonge R, 1009 Yoshida K, 262 Yoshikawa J, 262 Young JB, 324 Young M-L, 860 Young PJ, 819

Z

Zaret BL, II-8 Zeballos G, III-77 Zeiher AM, 768 Zhu J, 802 Zhu W-X, 458 Zimmerman JM, 181 Zimmern SH, 1319 Zipes DP, 383, 637, 1388, I-202 Zisbrod Z, V-109 Zotz RJ, 163 Zweier JL, 906

Ablation

The cellular electrophysiologic changes induced by ablation: comparison between argon laser photoablation and high-energy electrical ablation. 217

Cryosurgical treatment of atrioventricular node reentrant tachycardia, 1329

Laser probe ablation of normal and atherosclerotic human aorta in vitro: a first thermographic and histologic analysis, 1353

Low-energy transvenous ablation of the canine atrioventricular conduction system with a suction electrode catheter, 394

Neodymium:YAG laser photocoagulation: a successful new mapguided technique for the intraoperative ablation of ventricular tachycardia, 1319

Acetate

Delineation of myocardial oxygen utilization with carbon-11-labeled acetate, 687

N-Acetylcysteine

Nitrate tolerance: lack of effect of N-acetylcysteine, 572

Action potential

Effects of activation sequence and anisotropic cellular geometry on the repolarization phase of action potential of dog ventricular muscle, 226

Adenosine

Reduction of reperfusion injury in the canine preparation by intracoronary adenosine: importance of the endothelium and the no-reflow phenomenon, 1135

Adrenergic effects

The paradox of adrenergic coronary vasoconstriction, 737

Aerobic capacity

Determination of aerobic capacity and the severity of chronic cardiac and circulatory failure, VI-40

Aging

The effects of age on outcome after coronary bypass surgery, V-6

Ambulatory monitoring

The management of patients with life-threatening ventricular tachyarrhythmias: programmed stimulation or Holter monitoring (either or both)? I

Amiodarone

Frequency-dependent effects of amiodarone on atrioventricular nodal function and slow-channel action potentials: evidence for calcium channel-blocking activity, 442

Predictors of efficacy of amiodarone and characteristics of recurrence of arrhythmia in patients with sustained ventricular tachycardia and coronary artery disease, 802

Anaerobic threshold

Determinants and detection of anaerobic threshold and consequences of exercise above it, VI-29

Angina

Long-term prognosis of patients with variant angina, 990

Reinfarction, recurrent angina, and reocclusion after thrombolytic therapy, II-57

Angina pectoris

Changes in blood rheology in patients with stable angina pectoris as a result of coronary artery disease, 15

Angiography

Guidelines for coronary angiography. A report of the American College of Cardiology/American Heart Association Task Force on Assessment of Diagnostic and Therapeutic Cardiovascular Procedures (Subcommittee on Coronary Angiography), 963A

Angioplasty

Aspirin and dipyridamole in the prevention of acute coronary thrombosis complicating coronary angioplasty, 125

Autologous blood perfusion for myocardial protection during coronary angioplasty: a feasibility study, 312

Balloon-expandable intracoronary stents in the adult dog, 450

Combined percutaneous aortic valvuloplasty and transluminal coronary angioplasty in adult patients with calcific aortic stenosis and coronary artery disease, 1298

Comparison of multivessel coronary angioplasty with surgical revascularization with both internal mammary arteries, V-1 Coronary angioplasty as therapy for acute myocardial infarction: University of Michigan experience, II-79

Detection of transient myocardial ischemia by computer analysis of standard and signal-averaged high-frequency electrocardiograms in patients undergoing percutaneous transluminal coronary angioplasty, 585

Early and late results of intracoronary arterial stenting after coronary angioplasty in dogs, 891

Effect of angioplasty-induced endothelial denudation compared with medial injury on regional coronary blood flow, 710

Percutaneous transluminal balloon angioplasty of the aorta in patients with aortitis, 597

Surgical standby for percutaneous coronary angioplasty, III-149

The transstenotic pressure gradient trend as a predictor of acute complications after percutaneous transluminal coronary angioplasty, 792

Angiotensin

Modulation of vascular capacitance by angiotensin and nitroprusside: a mechanism of changes in pericardial pressure, 875

Antibiotic

Comparison of single and multiple doses of prophylactic antibiotics in experimental streptococcal endocarditis, 376

Antimyosin antibody imaging

Indium 111-monoclonal antimyosin antibody imaging in the diagnosis of acute myocarditis, 306

Antimyosin imaging

Noninvasive detection of human cardiac transplant rejection with indium-111 antimyosin (Fab) imaging, V-81

Aortic aneurysi

The hemodynamics of β -blockade in patients undergoing abdominal aortic aneurysm repair, III-1

Aortic regurgitation

Influences of localized aortic valve damage on coronary artery blood flow in acute aortic regurgitation: an experimental study, 201

Quantitative determination of aortic regurgitant volumes in dogs by ultrafast computed tomography, 728

Aortic valvuloplasty

Combined percutaneous aortic valvuloplasty and transluminal coronary angioplasty in adult patients with calcific aortic stenosis and coronary artery disease, 1298

Aortitis

Percutaneous transluminal balloon angioplasty of the aorta in patients with aortitis. 597

Aortoiliac disease

Duplex scanning for diagnosis of aortoiliac and femoropopliteal disease: a prospective study, 1074

Arrhythmi

The cellular electrophysiologic changes induced by ablation: comparison between argon laser photoablation and high-energy electrical ablation, 217

Determinants of induced sustained arrhythmias in survivors of out-ofhospital ventricular fibrillation, 1053

Electrophysiologic mechanisms underlying arrhythmias due to reperfusion of ischemic myocardium, 404

The hemodynamic effects of sotalol and quinidine: analysis by use of exercise-gated radionuclide angiography, 324

Low-energy transvenous ablation of the canine atrioventricular conduction system with a suction electrode catheter, 394

The management of patients with life-threatening ventricular tachyarrhythmias: programmed stimulation or Holter monitoring (either or both)? 1

Mechanisms of behaviorally induced arrhythmias, I-48

Predictors of efficacy of amiodarone and characteristics of recurrence of arrhythmia in patients with sustained ventricular tachycardia and coronary artery disease, 802

Prehospital trial of emergency transcutaneous cardiac pacing, 1337 Relief of life-threatening ventricular tachycardia and survival after direct operations, V-93

Arterial stenting

Early and late results of intracoronary arterial stenting after coronary angioplasty in dogs, 891

Aspirin

Aspirin and dipyridamole in the prevention of acute coronary thrombosis complicating coronary angioplasty, 125

^{*}Roman numbers indicate articles published in supplements.

Vol. 76, July-December 1987

Atenolol

Time course of regression of left ventricular hypertrophy in hypertensive patients treated with atenolol, 254

Atherogenesis

Influence of laminar steady-state fluid-imposed wall shear stress on the binding, internalization, and degradation of low-density lipoproteins by cultured arterial endothelium, 648

Mechanisms of atherogenesis, I-20

Psychophysiologic factors in atherogenesis and coronary artery disease, I-41

Psychosocial influences on the pathogenesis of atherosclerosis among nonhuman primates, I-29

Atherosclerosis

Does coronary artery bypass surgery restore normal maximal coronary flow reserve? The effect of diffuse atherosclerosis and focal obstructive lesions, 563

Inhibition of coronary atherosclerosis by propranolol in behaviorally predisposed monkeys fed an atherogenic diet, 1364

Laser probe ablation of normal and atherosclerotic human aorta in vitro: a first thermographic and histologic analysis, 1353
Lipoproteins and the pathogenesis of atherosclerosis, 508

Regulation of low-density lipoprotein receptors: implications for pathogenesis and therapy of hypercholesterolemia and atherosclerosis. 504

Atrial balloon pump

Augmentation of pulmonary blood flow by a right atrial balloon pump after the Fontan operation, III-72

Atrial flutter

Circus movement in the canine atrium around the tricuspid ring during experimental atrial flutter and during reentry in vitro, 1155

Effects of procainamide and N-acetylprocainamide on atrial flutter: studies in vivo and in vitro, 1397

Atrial natriuretic factor

Effect of atrial natriuretic factor on transmural myocardial blood flow distribution in the dog, 705

Hormonal responses to cardiac tamponade: release of inhibition of atrial natriuretic factor despite elevation of atrial pressures, 884

Atrial natriuretic peptide

Elevated atrial natriuretic peptide after the Fontan procedure, III-77

Atrial natriuretic polypeptide

Clinical application of atrial natriuretic polypeptide in patients with

congestive heart failure: beneficial effects on left ventricular function, 115

Atrial septal defect

Isolated atrial septal defect with pulmonary vascular obstructive disease — long-term follow-up and prediction of outcome after surgical correction. 1037

Atrioventricular conduction

Low-energy transvenous ablation of the canine atrioventricular conduction system with a suction electrode catheter, 394

Atrioventricular node

Beat-to-beat changes in atrioventricular nodal excitability and its modulation by concealed conduction during functional 2:1 block in man, 759

Cryosurgical treatment of atrioventricular node reentrant tachycardia, 1329

Prediction of complex atrioventricular conduction rhythms in humans with use of the atrioventricular nodal recovery curve, 1196

B

Balloon dilatation

Balloon dilatation of porcine bioprosthetic valves in the pulmonary position, 109

Behavior

Mechanisms of behaviorally induced arrhythmias, I-48 Some central neural mechanisms governing resting and behaviorally coupled control of blood pressure, I-2

β-Blockade

 β -blockade — rational or irrational therapy for congestive heart failure? 971

The hemodynamics of β -blockade in patients undergoing abdominal aortic aneurysm repair, III-1

Bioprosthetic valves

Asynchronous primary valve failure in patients with porcine bioprosthetic aortic and mitral valves, III-141

Causes of failure and pathologic findings in surgically removed lonescu-Shiley Standard bovine pericardial heart valve bioprostheses: emphasis on progressive structural deterioration, 618

Chemically determined mineral content of explanted porcine aortic valve bioprostheses: correlation with radiographic assessment of calcification and clinical data, 1061

Blalock-Taussig shunt

Analysis of the effects of the Blalock-Taussig shunt on ventricular function and prognosis in patients with single ventricle, III-24
The modified Blalock-Taussig shunt: analysis of adequacy and dura-

tion of palliation, III-19

Alterations in transmural blood flow and body surface ST segment abnormalities produced by ischemia in the circumflex and left anterior descending coronary arterial beds of the dog, 697

Analysis of flow characteristics in poststenotic regions of the human coronary artery during bypass graft surgery, 1092

Blood flow distribution within skeletal muscle during exercise in the presence of chronic heart failure: effect of milrinone, 1344

Blood velocity distribution in the human ascending aorta, 90 Diurnal changes in coronary blood flow in conscious dogs 488 Effect of angioplasty-induced endothelial denudation compared with

medial injury on regional coronary blood flow, 710
Effect of atrial natriuretic factor on transmural myocardial blood flow
distribution in the dog, 705

Effect of graded coronary flow reduction on ionic, electrical, and mechanical indexes of ischemia in the pig, 1127

Influences of localized aortic valve damage on coronary artery blood flow in acute aortic regurgitation: an experimental study, 201 Inhomogenous capillary flow and its prevention by verapamil and

hydralazine in the cardiomyopathic Syrian hamster, 208

Measurement of myocardial blood flow by ultrafast computed tomog-

Measurement of regional myocardial perfusion and mass by subselec-

Measurement of regional myocardial perfusion and mass by subselective hydrogen infusion and washout techniques: a validation study, 1373

Methods of measurement of myocardial blood flow in patients: a critical review, 245

Myocardial blood flow during exercise in dogs with left ventricular hypertrophy produced by aortic banding and perinephretic hypertension. 835

Preferential increase in subendocardial perfusion produced by endothelium-dependent vasodilators, 191

Skeletal muscle metabolism in patients with congestive heart failure: relation to clinical severity and blood flow, 1009

Blood pressure

The long-term effect of oral and percutaneous estradiol on plasma renin substrate and blood pressure, 753

Some central neural mechanisms governing resting and behaviorally coupled control of blood pressure, I-2

Blood rheology

Intermittent claudication, exercise, and blood rheology, 1110

Body surface mapping

Detection and localization of coronary artery disease with body surface mapping in patients with normal electrocardiograms, 1290 Spatial distribution and prognostic significance of ST segment potential determined by body surface mapping in patients with acute inferior myocardial infarction, 289

Bypass grafts

Magnetic resonance imaging to evaluate patency of aortocoronary bypass grafts, 786

C

Calcification

Chemically determined mineral content of explanted porcine aortic valve bioprostheses: correlation with radiographic assessment of calcification and clinical data, 1061

Calcium blockers

Frequency-dependent effects of amiodarone on atrioventricular nodal

function and slow-channel action potentials: evidence for calcium channel-blocking activity, 442

High-dose calcium channel-blocking therapy for primary pulmonary hypertension: evidence for long-term reduction in pulmonary arterial pressure and regression of right ventricular hypertrophy, 135

Cardiac fatigue
Cardiac fatigue after prolonged exercise, 1206

Cardiac tamponade

Hormonal responses to cardiac tamponade: release of inhibition of atrial natriuretic factor despite elevation of atrial pressures, 884

Cardiac transplantation
Cardiac transplantation in children and adolescents, V-43

Cardiac transplantation: improved quality of survival, V-48 Changes in Doppler echocardiographic indexes of left ventricular function as potential markers of cardiac rejection, V-86

Clinical and laboratory correlates of accelerated coronary artery disease in the cardiac transplant patient, V-56

Development of coronary artery disease in cardiac transplant patients receiving immunosuppressive therapy with cyclosporine and prednisone, 827

Effect of acute human allograft rejection on left ventricular systolic torsion and diastolic recoil measured by intramyocardial markers,

The effect of amino acid L-glutamate on the extended preservation ex vivo of the heart for transplantation, V-65

Elevated pulmonary vascular resistance and cardiac transplantation, V-52

Frequency analysis of the .urface electrocardiogram for recognition of acute rejection after orthotopic cardiac transplantation in man, 101

Noninvasive detection of human cardiac transplant rejection with indium-111 antimyosin (Fab) imaging, V-81

Normalization of sympathetic nervous system function after orthotopic cardiac transplant in man, V-62

Successful reversal of acute cardiac allograft rejection with OKT*3 monoclonal antibody, V-71

Time course of resolution of pulmonary hypertension and right ventricular remodeling after orthotopic cardiac transplantation, 819

Cardiogenic shock

Emergency coronary bypass for cardiogenic shock, V-22

Cardiomyopathy

Inhomogenous capillary flow and its prevention by verapamil and hydralazine in the cardiomyopathic Syrian hamster, 208

Myocardial perfusion abnormalities in patients with hypertrophic cardiomyopathy: assessment with thallium-201 emission computed tomography, 1214

Quantitative ultrasonic tissue characterization with real-time integrated backscatter imaging in normal human subjects and in patients with dilated cardiomyopathy, 1067

Results of surgery for hypertrophic obstructive cardiomyopathy, V- 104

Cardioplegia

Prevention of hydroxyl radical formation: a critical concept for improving cardioplegia. Protective effects of deferoxamine, V-180

Ultrastructural assessment of the infant myocardium receiving crystalloid cardioplegia, V-141

Ventricular function after atrial cardioplegia, V-129

Cardioplegic oxygenation

The effect of cardioplegic oxygenation on the correlation between the linearized Frank-Starling relationship and myocardial energetics in the ejecting postischemic heart, V-122

Cardiopulmonary bypass

Right ventricular outflow construction without cardiopulmonary bypass, III-34

Cardiopulmonary resuscitation

Sequence of mitral valve motion and transmitral blood flow during manual cardiopulmonary resuscitation in dogs, 363

Cardioversion

Prospective evaluation of a sequential pacing and high-energy bidirectional shock algorithm for transvenous cardioversion in patients with ventricular tachycardia, 601

Central nervous system

Results of open heart surgery in patients with recent cardiogenic embolic stroke and central nervous system dysfunction, V-109

Chagas disease

Long-term control of Chagas disease in Venezuela: effects on serologic findings, electrocardiographic abnormalities, and clinical outcome, 556

Cholesterol

Black-white differences in cholesterol levels of serum high-density lipoprotein subclasses among children: the Bogalusa Heart Study, 272

New guidelines for the treatment of high blood cholesterol in adults from the National Cholesterol Education Program: from controversy to consensus, 960

Seasonal cholesterol cycles: the Lipid Research Clinics Coronary Primary Prevention Trial placebo group, 1224

Cholesterol and cardiovascular disease

Current perspectives on cholesterol and cardiovascular disease. Introduction and overview, 502

Current pharmacologic treatment of elevated serum cholesterol, 529 Dietary therapy for different forms of hyperlipoproteinemia, 523 Lipoproteins and the pathogenesis of atherosclerosis, 508

New developments in lipid-lowering therapy: the role of inhibitors of hydroxymethylglutaryl coenzyme A, 534

Regulation of low-density lipoprotein receptors: implications for pathogenesis and therapy of hypercholesteremia and atherosclerosis. 504

Review of lipid-lowering clinical trials in relation to observational epidemiologic studies, 515

Coarctation

Identification of risk factors for spinal cord ischemia by the use of monitoring of somatosensory evoked potentials during coarctation repair, III-14

Cod-liver oil

Effects of dietary supplementation with cod-liver oil on endotheliumdependent responses in porcine coronary arteries, 898

Collateral vessels

Clinical sequelae of thrombolysis: patient subsets, incomplete occlusion of the infarct-telated artery, and coronary collaterals, II-25

The efficacy of intermittent coronary sinus occlusion in the absence

of coronary artery collaterals, 667 Computed tomography

Measurement of myocardial blood flow by ultrafast computed tomography, 1262

Myocardial perfusion abnormalities in patients with hypertrophic cardiomyopathy: assessment with thallium-201 emission computed tomography, 1214

Quantitative determination of aortic regurgitant volumes in dogs by ultrafast computed tomography, 728

Conduction

Beat-to-beat changes in atrioventricular nodal excitability and its modulation by concealed conduction during functional 2:1 block in man, 759

Enhancement of procainamide-induced rate-dependent conduction slowing by elevated myocardial extracellular potassium concentration in vivo, 1380

Overdrive suppression of conduction at the canine Purkinje-muscle junction, 1388

Prediction of complex atrioventricular conduction rhythms in humans with use of the atrioventricular nodal recovery curve, 1196

Congenital heart disease

Abnormal endothelial factor VIII associated with pulmonary hypertension and congenital heart defects, 1043

Surgical experience with the modified Fontan procedure, III-61 Two-dimensional and pulsed Doppler echocardiography in the postoperative evaluation of total anomalous pulmonary venous connec-

Validation of Doppler-derived pulmonary arterial pressure in patients with patent ductus arteriosus under different hemodynamic states, 1081

Congestive heart failure

tion, 298

B-blockade — rational or irrational therapy for congestive heart failure? 971

Clinical application of atrial natriuretic polypeptide in patients with congestive heart failure: beneficial effects on left ventricular function. 115

Double-blind crossover comparison of enoximone and placebo in patients with congestive heart failure, 1307

Skeletal muscle metabolism in patients with congestive heart failure: relation to clinical severity and blood flow, 1009

Contractility

Comparative influence of load versus inotropic state on indexes of ventricular contractility: experimental and theoretical analysis based on pressure-volume relationships, 1422

Quantification of the contractile response to injury: assessment of the work-length relationship in the intact heart, 717

Coronary artery bypass surgery

Analysis of flow characteristics in poststenotic regions of the human coronary artery during bypass graft surgery, 1092

Comparison of multivessel coronary angioplasty with surgical revascularization with both internal mammary arteries, V-1

Does coronary artery bypass surgery restore normal maximal coronary flow reserve? The effect of diffuse atherosclerosis and focal obstructive lesions, 563

The effects of age on outcome after coronary bypass surgery, V-6 Emergency coronary bypass for cardiogenic shock, V-22

Coronary artery disease

Behavioral approaches to secondary prevention of coronary heart disease, I-130

Black-white differences in cholesterol levels of serum high-density lipoprotein subclasses among children: the Bogalusa Heart Study, 272

Changes in blood rheology in patients with stable angina pectoris as a result of coronary artery disease, 15

Clinical and laboratory correlates of accelerated coronary artery disease in the cardiac transplant patient, V-56

Combined percutaneous aortic valvuloplasty and transluminal coronary angioplasty in adult patients with calcific aortic stenosis and coronary artery disease, 1298

Coronary artery disease: a sociocultural perspective, I-112

Detection and localization of coronary artery disease with body surface mapping in patients with normal electrocardiograms, 1290

Development of coronary artery disease in cardiac transplant patients receiving immunosuppressive therapy with cyclosporine and prednisone, 827

Hierarchy of levels of ischemia-induced impairment in regional left ventricular systolic function in man, 768

Incidence of early tolerance to hemodynamic effects of continuous infusion of nitroglycerin in patients with coronary artery disease and heart failure, 577

Inhibition of coronary atherosclerosis by propranolol in behaviorally predisposed monkeys fed an atherogenic diet, 1364

Laser probe ablation of normal and atherosclerotic human aorta in vitro: a first thermographic and histologic analysis, 1353

Leukotriene C4- and D4-induced diffuse peripheral constriction of swine coronary artery accompanied by ST elevation on the electrocardiogram: angiographic analysis, 480

Measurement of regional myocardial perfusion and mass by subselective hydrogen infusion and washout techniques: a validation study, 1373

Predictors of efficacy of amiodarone and characteristics of recurrence of arrhythmia in patients with sustained ventricular tachycardia and coronary artery disease, 802

Primary prevention of coronary heart disease: a challenge for behavioral medicine, I-124

Psychological factors in coronary artery disease: epidemiologic evidence, I-117

Psychophysiologic factors in atherogenesis and coronary artery disease, I-41

Relation of parental history of early myocardial infarction to the level of apoprotein B in men, 266

Task Force 1: Evironmental risk factors in coronary artery disease, I-

Task Force 2: Psychological risk factors in coronary artery disease, I-

Task Force 3: Biobehavioral mechanisms in coronary artery disease.

Acute stress, I-150

Task Force 4: Biobehavioral mechanisms in coronary artery disease. Chronic stress, I-158

Task Force 5: Primary prevention of coronary artery disease, I-164

Task Force 6: Secondary prevention of coronary artery disease, I-168 Coronary flow reserve

Measurements of coronary flow reserve: defining pathophysiology versus making decisions about patient care, 1183

Coronary sinus

The efficacy of intermittent coronary sinus occlusion in the absence of coronary artery collaterals, 667

Cryosurgery

Cryosurgical treatment of atrioventricular node reentrant tachycardia, 1329

Cyclosporine

Development of coronary artery disease in cardiac transplant patients receiving immunosuppressive therapy with cyclosporine and prednisone, 827

D

Deferoxamine

Improvement of postischemic myocardial function and metabolism induced by administration of deferoxamine at the time of reflow: the role of iron in the pathogenesis of reperfusion injury, 906

Prevention of hydroxyl radical formation: a critical concept for improving cardioplegia. Protective effects of deferoxamine, V-180

Defibrillation

Improved defibrillation thresholds with large contoured epicardial electrodes and biphasic waveforms, 1176

Dietary therapy

Dietary therapy for different forms of hyperlipoproteinemia, 523 Dimethylthiourea

Attenuation of dysfunction in the postischemic 'stunned' myocardium by dimethylthiourea, 458

Dipyridamole

Aspirin and dipyridamole in the prevention of acute coronary thrombosis complicating coronary angioplasty, 125

The physiologic basis of dobutamine as compared with dipyridamole stress interventions in the assessment of critical coronary stenosis, 943

Dobutamine

The physiologic basis of dobutamine as compared with dipyridamole stress interventions in the assessment of critical coronary stenosis, 943

Doppler imaging

Mechanism of mitral regurgitation in patients with myocardial infarction: a study using real-time two-dimensional Doppler flow imaging and echocardiography, 777

Doppler ultrasound

Blood velocity distribution in the human ascending aorta, 90

Duplex scanning

Duplex scanning for diagnosis of aortoiliac and femoropopliteal disease: a prospective study, 1074

E

Echocardiography

Age-related valvular regurgitation: a study by pulsed Doppler echocardiography, 262

Changes in Doppler echocardiographic indexes of left ventricular function as potential markers of cardiac rejection, V-86

Continuous-wave Doppler velocities and gradients across fixed tunnel obstructions: studies in vitro and in vivo, 657

Determination of stroke volume and cardiac output during exercise: comparison of two-dimensional and Doppler echocardiography, Fick oximetry, and thermodilution, 539

Early postoperative changes in left ventricular chamber size, architecture, and function in aortic stenosis and aortic regurgitation and their relation to intaoperative changes in afterload: a prospective two-dimensional echocardiographic study, 77

Hemodynamics of the Mueller maneuver in man: right and left heart micromanometry and Doppler echocardiography, 1020

Immediate and early postoperative evaluation of results of cardiac surgery by transesophageal two-dimensional Doppler echocardiography, V-113

Intraoperative evaluation of mitral regurgitation by Doppler color flow mapping, III-108

Mechanisms of increase in mitral valve area and influence of anatomic features in double-balloon, catheter balloon valvuloplasty in adults with rheumatic mitral stenosis: a Doppler and two-dimensional echocardiographic study, 628

Mechanism of mitral regurgitation in patients with myocardial infarction: a study using real-time two-dimensional Doppler flow imag-

ing and echocardiography, 777

The role of intraoperative high-frequency epicardial echocardiography during coronary artery revascularization, V-33

Two-dimensional and pulsed Doppler echocardiography in the postoperative evaluation of total anomalous pulmonary venous connection 298

Editorials

Achieving a smokefree society, 746

β-blockade — rational or irrational therapy for congestive heart failure? 971

Rheumatic fever: the way it was, 1190

Elastance

The relationship of various measures of end-systole to left ventricular maximum time-varying elastance in man, 32

Electrocardiography

Alterations in transmural blood flow and body surface ST segment abnormalities produced by ischemia in the circumflex and left anterior descending coronary arterial beds of the dog, 697

Detection and localization of coronary artery disease with body surface mapping in patients with normal electrocardiograms, 1290

Detection of transient myocardial ischemia by computer analysis of standard and signal-averaged high-frequency electrocardiograms in patients undergoing percutaneous transluminal coronary angioplasty, 585

Effects of coronary occlusion on high-frequency content of the epicardial electrogram and body surface electrocardiogram, 237

The electrocardiogram in patients undergoing thrembolysis for myocardial infarction, II-18

Long-term control of Chagas disease in Venezuela: effects on serologic findings, electrocardiographic abnormalities, and clinical outcome, 556

Electropharmacology

Electropharmacology of sotalol in patients with Wolff-Parkinson-White syndrome, 810

Electrophysiology

Circus movement in the canine atrium around the tricuspid ring during experimental atrial flutter and during reentry in vitro, 1155

Conduction over an isthmus of atrial myocardium in vivo: a possible model of Wolff-Parkinson-White syndrome, 637

Differential electrophysiologic properties of decremental retrograde pathways in long RP' tachycardia, 21

Effects of activation sequence and anisotropic cellular geometry on the repolarization phase of action potential of dog ventricular mus-

Effects of coronary occlusion on high-frequency content of the epicardial electrogram and body surface electrocardiogram, 237

Effects of procainamide and N-acetylprocainamide on atrial flutter: studies in vivo and in vitro, 1397

Electrophysiologic mechanisms underlying arrhythmias due to reperfusion of ischemic myocardium, 404

Enhancement of procainamide-induced rate-dependent conduction slowing by elevated myocardial extracellular potassium concentration in vivo, 1380

Frequency-dependent effects of amiodarone on atrioventricular nodal function and slow-channel action potentials: evidence for calciumchannel-blocking activity, 442

Improved defibrillation thresholds with large contoured epicardial electrodes and biphasic waveforms, 1176

Modification of the frequency- and voltage-dependent effects of quinidine when administered in combination with tocainide in canine Purkinje fibers, 427

Overdrive suppression of conduction at the canine Purkinje-muscle junction, 1388

Prediction of complex atrioventricular conduction rhythms in humans with use of the atrioventricular nodal recovery curve, 1196

Production of denervation supersensitivity of refractoriness in noninfarcted areas apical to transmural myocardial infarction, 383 Summation and inhibition by ultrarapid train pacing in the human

ventricle, 1101

Endocarditis

Comparison of single and multiple doses of prophylactic antibiotics in experimental streptococcal endocarditis, 376

Endothelial factor VIII

Abnormal endothelial factor VIII associated with pulmonary hypertension and congenital heart defects, 1043

Endothelium

Effect of angioplasty-induced endothelial denudation compared with medial injury on regional coronary blood flow, 710

Effects of dietary supplementation with cod-liver oil on endotheliumdependent responses in porcine coronary arteries, 898

Influence of laminar steady-state fluid-imposed wall shear stress on the binding, internalization, and degradation of low-density lipoproteins by cultured arterial endothelium, 648

Preservation of endothelial cell structure and function by intracoronary perfluorochemical in a canine preparation of reperfusion, 469

Double-blind crossover comparison of enoximone and placebo in patients with congestive heart failure, 1307

Epicardial potentials

A validation of derived epicardial potential distributions by prediction of the coronary artery involved in acute myocardial infarction in humans, 1282

Epidemiology Review of lipid-lowering clinical trials in relation to observational epidemiologic studies, 515

Estradiol

The long-term effect of oral and percutaneous estradiol on piasma renin substrate and blood pressure, 753

Exercise

Blood flow distribution within skeletal muscle during exercise in the presence of chronic heart failure: effect of milrinone, 1344

Cardiac fatigue after prolonged exercise, 1206

Determination of stroke volume and cardiac output during exercise: comparison of two-dimensional and Doppler echocardiography, Fick oximetry, and thermodilution, 539

Intermittent claudication, exercise, and blood rheology, 1110

Myocardial blood flow during exercise in dogs with left ventricular hypertrophy produced by aortic banding and perinephretic hypertension, 835

Exercise testing

Circulatory response to exercise in health, VI-3

Determinants and detection of anaerobic threshold and consequences of exercise above it, VI-29

Determination of aerobic capacity and the severity of chronic cardiac and circulatory failure, VI-40

Dynamics of pulmonary gas exchange, VI-18

Hemodynamic and neurohumoral responses to dynamic exercise: normal subjects versus patients with heart disease, VI-11

Metabolic responses to exercise in patients with heart failure, VI-46 Quantitative exercise testing for the cardiac patient: the value of monitoring gas exchange. Introduction, VI-1

Safety of graded symptom-limited exercise testing in patients with congestive heart failure, VI-54

Exercise training

Reversal of exertional hypotension by prolonged exercise training in selected patients with ischemic heart disease, 548

Fast Fourier analysis

Frequency analysis of the surface electrocardiogram for recognition of acute rejection after orthotopic cardiac transplantation in man, 101

Femoropopliteal disease

Duplex scanning for diagnosis of aortoiliac and femoropopliteal disease: a prospective study, 1074

Fenoldopam

Augmentation of renal blood flow and sodium excretion in hypertensive patients during blood pressure reduction by intravenous administration of the dopamine, agonist fenoldopam, 1312

Fetal physiology

Effects of heart rate on ventricular size, stroke volume, and output in

the normal human fetus: a prospective Doppler echocardiographic study, 52

Fick oximetry

Determination of stroke volume and cardiac output during exercise: comparison of two-dimensional and Doppler echocardiography, Fick oximetry, and thermodilution, 539

Flow reserve

Does coronary artery bypass surgery restore normal maximal coronary flow reserve? The effect of diffuse atherosclerosis and focal obstructive lesions, 563

Fontan operation

Augmentation of pulmonary blood flow by a right atrial balloon pump after the Fontan operation, III-72

Childhood systemic-pulmonary shunts: subsequent suitability for Fontan operation, III-39

Elevated atrial natriuretic peptide after the Fontan procedure, III-77 Intermediate follow-up and predicted survival after the modified Fontan procedure for tricuspid atresia and double-inlet ventricle, III-67

Modifications of the Fontan operation applicable to patients with left atrioventricular valve atresia or single atrioventricular valve, III-53

Problems in the modified Fontan operation for univentricular heart of the right ventricular type, III-45

Surgical experience with the modified Fontan procedure, III-61

Frank-Starling relationship

The effect of cardioplegic oxygenation on the correlation between the linearized Frank-Starling relationship and myocardial energetics in the ejecting postischemic heart, V-122

Free radicals

Evidence of myocardial free radical injury during elective repair of tetralogy of Fallot, V-174

Functional block

Beat-to-beat changes in atrioventricular nodal excitability and its modulation by concealed conduction during functional 2:1 block in man. 759

Functional border zone

The functional border zone in conscious dogs, 929

G

Gas exchange

Dynamics of pulmonary gas exchange, VI-18

r-Glotamate

The effect of amino acid L-glutamate on the extended preservation ex vivo of the heart for transplantation, V-65

H

HI.A antigens

HLA antigens A, B, DR, and DQ in black patients with severe chronic rheumatic heart disease, 259

Heart beat

The origin of the heart beat: a tale of frogs, jelly fish, and turtles, 493 Heart disease

Hemodynamic and neurohumoral responses to dynamic exercise: normal subjects versus patients with heart disease, VI-11

Heart failure

Blood flow distribution within skeletal muscle during exercise in the presence of chronic heart failure: effect of milrinone, 1344

Incidence of early tolerance to hemodynamic effects of continuous infusion of nitroglycerin in patients with coronary artery disease and heart failure, 577

Metabolic responses to exercise in patients with heart failure, VI-46 Safety of graded symptom-limited exercise testing in patients with congestive heart failure, VI-54

Heart rate

Effects of heart rate on ventricular size, stroke volume, and output in the normal human fetus: a prospective Doppler echocardiographic study, 52

Determination of stroke volume and cardiac output during exercise: comparison of two-dimensional and Doppler echocardiography, Fick oximetry, and thermodilution, 539

Incidence of early tolerance to hemodynamic effects of continuous

infusion of nitroglycerin in patients with coronary artery disease and heart failure, 577

Heparin

Coagulation responses to heparin in the ischemic limb: assessment of thrombin and platelet activation during vascular surgery, III-8

Hormonal response

Hormonal responses to cardiac tamponade: release of inhibition of atrial natriuretic factor despite elevation of atrial pressures, 884

Hydralazine

Inhomogenous capillary flow and its prevention by verapamil and hydralazine in the cardiomyopathic Syrian hamster, 208

Hydrogen

Measurement of regional myocardial perfusion and mass by subselective hydrogen infusion and washout techniques: a validation study,

Hydroxyl radicals

Prevention of hydroxyl radical formation: a critical concept for improving cardioplegia. Protective effects of deferoxamine, V-180

Hydroxymethylglutaryl coenzyme A

New developments in lipid-lowering therapy: the role of inhibitors of hydroxymethylglutaryl coenzyme A, 534

Efficacy of platelet depletion in counteracting the detrimental effect of acute hypercholesterolemia on infarct size and the no-reflow phenomenon in rabbits undergoing coronary artery occlusion-reperfusion, 173

Regulation of low-density lipoprotein receptors: implications for pathogenesis and therapy of hypercholesterolemia and atheroscle-

Hyperlipidemia

easonal cholesterol cycles: the Lipid Research Clinics Coronary Primary Prevention Trial placebo group, 1224

Hyperlipoproteinemia

Dietary therapy for different forms of hyperlipoproteinemia, 523

Hypertension

Augmentation of renal blood flow and sodium excretion in hypertensive patients during blood pressure reduction by intravenous administration of the dopamine, agonist fenoldopam, 1312

Psychosocial and central nervous influences in primary hypertension,

Psychosocial precursors of hypertension: experimental evidence, l

Psychosocial precursors of hypertension: a review of the epidemiologic evidence, I-60

Strategies for the evaluation and treatment of hypertension and some implications of blood pressure variability, I-77

Task Force 1: Psychosocial factors in hypertension, I-84

Task Force 2: Psychophysiologic factors in hypertension, I-89

Task Force 3: Behavioral mechanisms in hypertension, I-95 Task Force 4: Behavioral consequences of hypertension and antihy-

pertensive therapy, I-101 Task Force 5: Nonpharmacologic approaches to treatment of hyper-

tension, I-104 Time course of regression of left ventricular hypertrophy in hypertensive patients treated with atenolol, 254

Hypertrophic cardiomyopathy

Myocardial perfusion abnormalities in patients with hypertrophic cardiomyopathy: assessment with thallium-201 emission computed tomography, 1214

Results of surgery for hypertrophic obstructive cardiomyopathy, V-104

Hypertrophy

Time course of regression of left ventricular hypertrophy in hypertensive patients treated with atenolol, 254

Hypotension

Reversal of exertional hypotension by prolonged exercise training in selected patients with ischemic heart disease, 548

Immunosuppressive therapy

Development of coronary artery disease in cardiac transplant patients receiving immunosuppressive therapy with cyclosporine and prednisone, 827

Infarct size

Beneficial effects of timolol on infarct size and late ventricular tachycardia in patients with acute myocardial infarction, 610

Oxypurinol limits myocardial stunning but does not reduce infarct size after reperfusion, 678

Inotropic state

Inconsistency of the slope and the volume intercept of the end-systolic pressure-volume relationship as individual indexes of inotropic state in conscious dogs. Presentation of an index combining both variables, 1115

Inotropic stimulation

The effect of inotropic stimulation on normal and ischemic myocardium after coronary occlusion, 163

Intermittent claudication

Intermittent claudication, exercise, and blood rheology, 1110

Ionescu-Shiley valve

Causes of failure and pathologic findings in surgically removed Ionescu-Shiley Standard bovine pericardial heart valve bioprostheses: emphasis on progressive structural deterioration, 618

Iron

Improvement of postischemic myocardial function and metabolism induced by administration of deferoxamine at the time of reflow: the role of iron in the pathogenesis of reperfusion injury, 906

Alterations in transmural blood flow and body surface ST segment abnormalities produced by ischemia in the circumflex and left anterior descending coronary arterial beds of the dog, 697

Attenuation of dysfunction in the postischemic 'stunned' myocardium by dimethylthiourea, 458

Balloon-expandable intracoronary stents in the adult dog, 450 Delineation of myocardial oxygen utilization with carbon-11-labeled

acetate, 687

Detection of transient myocardial ischemia by computer analysis of standard and signal-averaged high-frequency electrocardiograms in patients undergoing percutaneous transluminal coronary angioplasty, 585

Effect of graded coronary flow reduction on ionic, electrical, and mechanical indexes of ischemia in the pig, 1127

The effect of inotropic stimulation on normal and ischemic myocardium after coronary occlusion, 163

Effects of nifedipine on diastolic function during brief periods of flow-limiting ischemia in the conscious dog, 1409

Effects of pacing-induced ischemia on early left ventricular filling and regional myocardial dynamics and their modification by nifedipine, 1232

The functional border zone in conscious dogs, 929 Hierarchy of levels of ischemia-induced impairment in regional left ventricular systolic function in man, 768

Preservation of endothelial cell structure and function by intracoronary perfluorochemical in a canine preparation of reperfusion, 469

Regional effects of verapamil on recovery of excitability and conduction time in experimental ischemia, 1146

Relative vulnerability of neonatal and adult hearts to ischemic injury,

Resistance of neonatal myocardium to injury during normothermic and hypothermic ischemic arrest and reperfusion, V-150

Salutary action of nicorandil, a new antianginal drug, on myocardial metabolism during ischemia and on postischemic function in a canine preparation of brief, repetitive coronary artery occlusions: comparison with isosorbide dinitrate, 916

Why are newborn hearts vulnerable to global ischemia? The lactate hypothesis, V-146

Ischemic heart disease

Reversal of exertional hypotension by prolonged exercise training in selected patients with ischemic heart disease, 548

Secular decline in death rates due to ischemic heart disease in Mexican Americans and non-Hispanic whites in Texas, 1970-1980, 1245

Isosorbide dinitrate

Salutary action of nicorandil, a new antianginal drug, on myocardial metabolism during ischemia and on postischemic function in a canine preparation of brief, repetitive coronary artery occlusions: comparison with isosorbide dinitrate, 916

Isovolumic relaxation

Load independence of the rate of isovolumic relaxation in man, 1274

Jones, T. Duckett, Memorial Lecture

T. Duckett Jones and rheumatic fever in 1986. T. Duckett Jones Memorial Lecture, 963

Why are newborn hearts vulnerable to global ischemia? The lactate hypothesis, V-146

Laser ablation

The cellular electrophysiologic changes induced by ablation: comparison between argon laser photoablation and high-energy electrical ablation, 217

Laser probe ablation of normal and atherosclerotic human aorta in vitro: a first thermographic and histologic analysis, 1353

Neodymium: YAG laser photocoagulation: a successful new map guided technique for the intraoperative ablation of ventricular tachycardia, 1319

Left ventricular hypertrophy

Myocardial blood flow during exercise in dogs with left ventricular hypertrophy produced by aortic banding and perinephretic hypertension, 835

Leukotrienes

Leukotriene C4- and D4-induced diffuse peripheral constriction of swine coronary artery accompanied by ST elevation on the electrocardiogram: angiographic analysis, 480

Lipoproteins

Black-white differences in cholesterol levels of serum high-density lipoprotein subclasses among children: the Bogalusa Heart Study,

Influence of laminar steady-state fluid-imposed wall shear stress on the binding, internalization, and degradation of low-density lipoproteins by cultured arterial endothelium, 648

Lipoproteins and the pathogenesis of atherosclerosis, 508

Regulation of low-density lipoprotein receptors: implications for pathogenesis and therapy of hypercholesterolemia and atherosclerosis, 504

M

Magnetic resonance imaging

Magnetic resonance imaging to evaluate patency of aortocoronary bypass grafts, 786

Mexican Americans

Secular decline in death rates due to ischemic heart disease in Mexican Americans and non-Hispanic whites in Texas, 1970-1980,

Blood flow distribution within skeletal muscle during exercise in the presence of chronic heart failure: effect of milrinone, 1344

Mitral commissurotomy

Repeat mitral commissurotomy: long-term results, III-97

Surgical experience with reparative techniques in patients with congenital mitral valvular anomalies, III-117

Mitral regurgitation

Intraoperative evaluation of mitral regurgitation by Doppler color flow mapping, III-108

Mechanism of mitral regurgitation in patients with myocardial infarction: a study using real-time two-dimensional Doppler flow imaging and echocardiography, 777

The relationship of afterload to ejection performance in chronic mitral regurgitation, 59

Mitral stenosis

Mechanisms of increase in mitral valve area and influence of anatomic features in double-balloon, catheter balloon valvuloplasty in adults with rheumatic mitral stenosis: a Doppler and two-dimensional echocardiographic study, 628

Transseptal pressure gradient and diastolic ventricular septal motion in patients with mitral stenosis, 974

Monoclonal antibody

Successful reversal of acute cardiac allograft rejection with OKT*3 monoclonal antibody, V-71

Mortality

In-hospital mortality rates from acute myocardial infarction by race in U.S. hospitals: findings from the National Hospital Discharge Survey. 280

Secular decline in death rates due to ischemic heart disease in Mexican Americans and non-Hispanic whites in Texas, 1970-1980, 1245

Mueller maneuver

Hemodynamics of the Mueller maneuver in man: right and left heart micromanometry and Doppler echocardiography, 1020

Myocardial infarction

Acute myocardial infarction: thrombolysis and angioplasty. Introduction, II-1

Acute myocardial infarction: thrombolysis and angioplasty. Workshop conclusions, II-88
Alterations in endocardial activation of the canine papillary muscle

early and late after myocardial infarction, 860

Clinical sequelae of thrombolysis: patient subsets, incomplete occlusion of the infarct-related artery, and coronary collaterals, II-25 A comparison of methods for limiting myocardial infarct expansion

A comparison or memous for limiting myocardial infarct expansion during acute reperfusion — primary role of unloading, V-28 Coronary angioplasty as therapy for acute myocardial infarction:

University of Michigan experience, II-79
The electrocardiogram in patients undergoing thrombolysis for myo-

cardial infarction, II-18
The GISSI Study: further analysis. Gruppo Italiano per lo Studio

della Streptokinasi nell'Infarto Miocardio, II-52 In-hospital mortality rates from acute myocardial infarction by race in U.S. hospitals: findings from the National Hospital Discharge Sur-

vey, 280
Intracoronary thrombolysis in patients with acute myocardial infarction: The Netherlands Randomized Trial and current status, II-63
Left ventricular end-systolic volume as the major determinant of

survival after recovery from myocardial infarction, 44
Measurement of infarct size and percentage myocardium infarcted in
a dog preparation with single photon-emission computed tomog-

raphy, thallium-201, and indium 111-monoclonal antimyosin Fab, 181

Mechanism of mitral regurgitation in patients with myocardial infarc-

tion: a study using real-time two-dimensional Doppler flow imaging and echocardiography, 777 New thrombolytic drugs in acute myocardial infarction: theoretical

and practical considerations, II-31
The path to myocardial salvage by thrombolytic therapy, II-2

Pharmacologic therapy: tissue-type plasminogen activator, II-39 Production of denervation supersensitivity of refractoriness in nonin-

farcted areas apical to transmural myocardial infarction, 383 Quantitative analysis of infarct size, contraction band necrosis, and coagulation necrosis in human autopsied hearts with acute myocardial infarction after treatment with selective intracoronary throm-

bosis, 981 Quantitative relationship between left ventricular function and serum cardiac myosin light chain I levels after coronary reperfusion in

patients with acute myocardial infarction, 1251 Radionuclide methods for evaluating the results of thrombolytic therapy, II-8

The rapid evolution of myocardial infarction in an end-artery preparation, V-39

Reinfarction, recurrent angina, and reocclusion after thrombolytic therapy, II-57

Relation of parental history of early myocardial infarction to the level of apoprotein B in men, 266

Risk of death from recurrent ischemic events after intravenous streptokinase in acute myocardial infarction: results from the Intravenous Streptokinase in Myocardial Infarction (ISAM) Study, II-44

Spatial distribution and prognostic significance of ST segment potential determined by body surface mapping in patients with acute inferior myocardial infarction, 289

Surgical revascularization during acute evolving myocardial infarction, III-146 Thrombolysis in Myocardial Infarction (TIMI) Trial, Phase I: a comparison between intravenous tissue plasminogen activator and intravenous streptokinase, 142

A validation of derived epicardial potential distributions by prediction of the coronary artery involved in acute myocardial infarction in humans, 1282

Myocardial perfusion

Measurement of regional myocardial perfusion and mass by subselective hydrogen infusion and washout techniques: a validation study, 1373

Myocardial protection

Autologous blood perfusion for myocardial protection during coronary angioplasty: a feasibility study, 312

Myocardial stiffness

The development of the entire end-systolic pressure-volume and ejection fraction-afterload relations: a new concept of systolic myocardial stiffness, 343

Myocarditis

Indium 111-monoclonal antimyosin antibody imaging in the diagnosis of acute myocarditis, 306

Myosin

Quantitative relationship between left ventricular function and serum cardiac myosin light chain I levels after coronary reperfusion in patients with acute myocardial infarction, 1251

N

National Cholesterol Education Program

New guidelines for the treatment of high blood cholesterol in adults from the National Cholesterol Education Program: from controversy to consensus, 960

Necrosis

Quantitative analysis of infarct size, contraction band necrosis, and coagulation necrosis in human autopsied hearts with acute myocardial infarction after treatment with selective intracoronary thrombosis, 981

Nicorandil

Salutary action of nicorandil, a new antianginal drug, on myocardial metabolism during ischemia and on postischemic function in a canine preparation of brief, repetitive coronary artery occlusions: comparison with isosorbide dinitrate, 916

Nifedipine

Effects of nifedipine on diastolic function during brief periods of flow-limiting ischemia in the conscious dog, 1409

Effects of pacing-induced ischemia on early left ventricular filling and regional myocardial dynamics and their modification by nifedipine, 1232

Nitrate

Nitrate tolerance: the lack of effect of N-acetylcysteine, 572

Nitroglycerin

Incidence of early tolerance to hemodynamic effects of continuous infusion of nitroglycerin in patients with coronary artery disease and heart failure, 577

Nitroprusside

Modulation of vascular capacitance by angiotensin and nitroprusside: a mechanism of changes in pericardial pressure, 875

No-reflow phenomenon

Efficacy of platelet depletion in counteracting the detrimental effect of acute hypercholesterolemia on infarct size and the no-reflow phenomenon in rabbits undergoing coronary artery occlusion-reperfusion, 173

Reduction of reperfusion injury in the canine preparation by intracoronary adenosine: importance of the endothelium and the no-reflow phenomenon, 1135

Nuclear cardiology

Radionuclide methods for evaluating the results of thrombolytic therapy, II-8

0

Oxygen utilization

Delineation of myocardial oxygen utilization with carbon-11-labeled acetate, 687

Oxypurinol

Oxypurinol limits myocardial stunning but does not reduce infarct size after reperfusion, 678

P

Pacing

Prehospital trial of emergency transcutaneous cardiac pacing, 1337 Prevention of ventricular tachycardia induction during right ventricular programmed stimulation by high current strength pacing at the site of origin, 332

Prospective evaluation of a sequential pacing and high-energy bidirectional shock algorithm for transvenous cardioversion in patients with ventricular tachycardia, 601

Summation and inhibition by ultrarapid train pacing in the human ventricle, 1101

Papillary muscle

Alterations in endocardial activation of the canine papillary muscle early and late after myocardial infarction, 860

Patent ductus arteriosus

Validation of Doppler-derived pulmonary arterial pressure in patients with patent ductus arteriosus under different hemodynamic states, 1081

Pediatric cardiology

Cardiac transplantation in children and adolescents, V-43 Left ventricular mechanics in the normal newborn, 1029

The mechanism of myocardial reperfusion injury in neonates, V-161 Relative vulnerability of neonatal and adult hearts to ischemic injury, V-156

Resistance of neonatal myocardium to injury during normothermic and hypothermic ischemic arrest and reperfusion, V-150

Ultrastructural assessment of the infant myocardium receiving crystalloid cardioplegia, V-141

Why are newborn hearts vulnerable to global ischemia? The lactate hypothesis, V-146

Perfluorochemical

Freservation of endothelial cell structure and function by intracoronary perfluorochemical in a canine preparation of reperfusion, 469

Pericardial disease Pericardial effusion causes interstitial pulmonary edema in dogs, 843 Right heart pressure does not equal pericardial pressure in the potassium chloride-arrested heart in situ, 357

Pericardial pressure

Modulation of vascular capacitance by angiotensin and nitroprusside: a mechanism of changes in pericardial pressure, 875

Perspectives

Jones, T. Duckett, and rheumatic fever in 1986. T. Duckett Jones Memorial Lecture, 963

Measurements of coronary flow reserve: defining pathophysiology versus making decisions about patient care, 1183

Methods of measurement of myocardial blood flow in patients: a critical review, 245

The paradox of adrenergic coronary vasoconstriction, 737

Pharmacologic treatment

Current pharmacologic treatment of elevated serum cholesterol, 529
New developments in lipid-lowering therapy: the role of inhibitors of
hydroxymethylglutaryl coenzyme A, 534

Plasma renin

The long-term effect of oral and percutaneous estradiol on plasma renin substrate and blood pressure, 753

Platelets

Biochemical evidence of a chronic abnormality in platelet and vascular function in healthy individuals who smoke cigarettes, 6

Coagulation responses to heparin in the ischemic limb: assessment of thrombin and platelet activation during vascular suggery, III-8

Efficacy of platelet depletion in counteracting the determental effect of acute hypercholesterolemia on infarct size and the no-reflow phenomenon in rabbits undergoing coronary acclusion-reperfusion, 173

Potassium

Enhancement of precainant de-inductor to the separatest conduction slowing by elevated myochrolic extracely and potassium concentration in vivo, 1380

Prednisone

Development of coronary artery disease in cardiac transplant patients receiving immunosuppressive therapy with cyclosporine and prednisone, 827

Preludes and Progress

The origin of the heart beat: a tale of frogs, jelly fish, and turtles, 493

Pressure gradient

The transstenotic pressure gradient trend as a predictor of acute complications after percutaneous transluminal coronary angioplasty, 792.

Pressure-volume relationship

Comparative influence of load versus inotropic state on indexes of ventricular contractility: experimental and theoretical analysis based on pressure-volume relationships, 1422

Inconsistency of the slope and the volume intercept of the end-systolic pressure-volume relationship as individual indexes of inorropic state in conscious dogs. Presentation of an index combining both variables. 1115

Procainamide

Effects of procainamide and N-acetylprocainamide on atrial flutter: studies in vivo and in vitro, 1397

Enhancement of procainamide-induced rate-dependent conduction slowing by elevated myocardial extracellular potassium concentration in vivo, 1380

Prognosis

Long-term prognosis of patients with variant angina, 990

Programmed stimulation

The management of patients with life-threatening ventricular tachyarrhythmias: programmed stimulation or Holter monitoring (either or both)? 1

Prevention of ventricular tachycardia induction during right ventricular programmed stimulation by high current strength pacing at the site of origin, 332

Propranolol

Inhibition of coronary atherosclerosis by propranolol in behaviorally predisposed monkeys fed an atherogenic diet, 1364

Prostaglandi

Cooperative mediation by serotonin S_2 and thromboxane A_2 /prostaglandin H_2 receptor activation of cyclic flow variations in dogs with severe coronary artery stenosis, 952

Prosthetic valves

Balloon dilatation of porcine bioprosthetic valves in the pulmonary position, 109

Pulmonary edema

Pericardial effusion causes interstitial pulmonary edema in dogs, 843

Pulmonary hypertension

Abnormal endothelial factor VIII associated with pulmonary hypertension and congenital heart defects, 1043

Changes in pericardial surface pressure during pulmonary hypertensive crises after cardiac surgery, III-93

High-dose calcium channel-blocking therapy for primary pulmonary hypertension: evidence for long-term reduction in pulmonary arterial pressure and regression of right ventricular hypertrophy, 135

Time course of resolution of pulmonary hypertension and right ventricular remodeling after orthotopic cardiac transplantation, 819

Pulmonary vascular obstruction

Isolated atrial septal defect with pulmonary vascular obstructive disease — long-term follow-up and prediction of outcome after surgical correction. 1037

Q

Quinidine

The hemodynamic effects of sotalol and quinidine: analysis by use of exercise-gated radionuclide angiography, 324

Modification of the frequency- and voltage-dependent effects of quinidine when administered in combination with tocainide in canine Purkinje fibers, 427

R

Reentry

Circus movement in the canine atrium around the tricuspid ring during experimental atrial flutter and during reentry in vitro, 1155

Rejection

Changes in Doppler echocardiographic indexes of left ventricular function as potential markers of cardiac rejection, V-86

Effect of acute human allograft rejection on left ventricular systolic torsion and diastolic recoil measured by intramyocardial markers, 998

Frequency analysis of the surface electrocardiogram for recognition of acute rejection after orthotopic cardiac transplantation in man, 101

Noninvasive detection of human cardiac transplant rejection with indium-111 antimyosin (Fab) imaging, V-81

Successful reversal of acute cardiac allograft rejection with OKT*3 monoclonal antibody, V-71

Renal blood flow

Augmentation of renal blood flow and sodium excretion in hypertensive patients during blood pressure reduction by intravenous administration of the dopamine₁ agonist fenoldopam, 1312

Reperfusion

A comparison of methods for limiting myocardial infarct expansion during acute reperfusion — primary role of unloading, V-28

Electrophysiologic mechanisms underlying arrhythmias due to reperfusion of ischemic myocardium, 404

Improvement of postischemic myocardial function and metabolism induced by administration of deferoxamine at the time of reflow: the role of iron in the pathogenesis of reperfusion injury, 906

The mechanism of myocardial reperfusion injury in neonates, V-161 Oxypurinol limits myocardial stunning but does not reduce infarct size after reperfusion, 678

Preservation of endothelial cell structure and function by intracoronary perfluorochemical in a canine preparation of reperfusion, 469 Quantitative relationship between left ventricular function and serum cardiac myosin light chain I levels after coronary reperfusion in

patients with acute myocardial infarction, 1251
Resistance of neonatal myocardium to injury during normothermic and hypothermic ischemic arrest and reperfusion, V-150

Reperfusion injury

Reduction of reperfusion injury in the canine preparation by intracoronary adenosine: importance of the endothelium and the no-reflow

phenomenon, 1135 Revascularization

The changing survival benefits of coronary revascularization over time, V-13

The role of intraoperative high-frequency epicardial echocardiography during coronary artery revascularization, V-33

Surgical revascularization during acute evolving myocardial infarction, III-146

Rheology

Changes in blood rheology in patients with stable angina pectoris as a result of coronary artery disease, 15

Rheumatic fever

Jones, T. Duckett, and rheumatic fever in 1986. T. Duckett Jones Memorial Lecture, 963

Rheumatic fever: the way it was, 1190

Rheumatic heart disease

HLA antigens A, B, DR, and DQ in black patients with severe chronic rheumatic heart disease, 259

Right ventricular hypertrophy

Impaired left ventricular postischemic function and metabolism in chronic right ventricular hypertrophy, V-168

Right ventricular outflow

Right ventricular outflow construction without cardiopulmonary bypass, III-34

S

SPECT

Measurement of infarct size and percentage myocardium infarcted in a dog preparation with single photon-emission computed tomography, thallium-201, and indium 111-monoclonal antimyosin Fab, 181

Serology

Long-term control of Chagas disease in Venezuela: effects on serologic findings, electrocardiographic abnormalities, and clinical outcome, 556

Serotonin

Cooperative mediation by serotonin S₂ and thromboxane A₂/prostaglandin H₂ receptor activation of cyclic flow variations in dogs with severe coronary artery stenosis, 952

Single ventricle

Analysis of the effects of the Blalock-Taussig shunt on ventricular function and prognosis in patients with single ventricle, III-24

Surgical management of subaortic stenosis in patients with single ventricle and transposition of the great vessels, III-29

Skeletal muscle

Skeletal muscle metabolism in patients with congestive heart failure: relation to clinical severity and blood flow, 1009

Skeletal muscle ventricles

Power output of skeletal muscle ventricles in circulation: short-term studies. 155

Smoking

Achieving a smokefree society, 746

Biochemical evidence of a chronic abnormality in platelet and vascular function in healthy individuals who smoke cigarettes, 6

Sodium

Augmentation of renal blood flow and sodium excretion in hypertensive patients during blood pressure reduction by intravenous administration of the dopamine₁ agonist fenoldopam, 1312

Sotalo

Electropharmacology of sotalol in patients with Wolff-Parkinson-White syndrome, 810

The hemodynamic effects of sotalol and quinidine: analysis by use of exercise-gated radionuclide angiography, 324

Special report

Guidelines for coronary angiography. A report of the American College of Cardiology/American Heart Association Task Force on Assessment of Diagnostic and Therapeutic Cardiovascular Procedures (Subcommittee on Coronary Angiography), 963A

Spinal cord ischemia

Identification of risk factors for spinal cord ischemia by the use of monitoring of somatosensory evoked potentials during coarctation repair, III-14

Stenosis

Cooperative mediation by serotonin S_2 and thromboxane A_2 /prostaglandin H_2 receptor activation of cyclic flow variations in dogs with severe coronary artery stenosis, 952

The physiologic basis of dobutamine as compared with dipyridamole stress interventions in the assessment of critical coronary stenosis, 943

Streptococcal endocarditis

Comparison of single and multiple doses of prophylactic antibiotics in experimental streptococcal endocarditis, 376

Streptokinase

The GISSI Study: further analysis. Gruppo Italiano per lo Studio della Streptokinasi nell'Infarto Miocardio, II-52

Risk of death from recurrent ischemic events after intravenous streptokinase in acute myocardial infarction: results from the Intravenous Streptokinase in Myocardial Infarction (ISAM) Study, II-44

Thrombolysis in Myocardial Infarction (TIMI) Trial, Phase I: a comparison between intravenous tissue plasminogen activator and intravenous streptokinase, 142

Stroke

Results of open heart surgery in patients with recent cardiogenic embolic stroke and central nervous system dysfunction, V-109 Stunned myocardium

Attenuation of dysfunction in the postischemic 'stunned' myocardium by dimethylthiourea, 458

Subaortic stenosis

Surgical management of subaortic stenosis in patients with single ventricle and transposition of the great vessels, III-29

Sudden cardiac death

Environmental and psychosocial determinants of sudden death, I-177 Prehospital trial of emergency transcutaneous cardiac pacing, 1337 Sudden cardiac death: biobehavioral perspective, I-186

Task Force 1: Sudden cardiac death. Stress and cardiac arrhythmias, I-198

Task Force 2: Sudden cardiac death. Neural-cardiac interactions, I-202

Task Force 3: Sudden cardiac death. Neural-chemical interactions, I-208 Task Force 4: Sudden cardiac death. Nonpharmacologic interventions, I-215

Surgery

Immediate and early postoperative evaluation of results of cardiac surgery by transesophageal two-dimensional Doppler echocardiography, V-113

Isolated atrial septal defect with pulmonary vascular obstructive disease — long-term follow-up and prediction of outcome after surgical correction, 1037

Results of open heart surgery in patients with recent cardiogenic embolic stroke and central nervous system dysfunction, V-109

Survival

Cardiac transplantation: improved quality of survival, V-48

The changing survival benefits of coronary revascularization over time, V-13

Left ventricular end-systolic volume as the major determinant of survival after recovery from myocardial infarction, 44

Sympathetic nervous system

Normalization of sympathetic nervous system function after orthotopic cardiac transplant in matter, V-62

Systemic-pulmonary shunts

Childhood systemic-pulmonary shouts: subsequent suitability for Fontan operation, III-39

Systolic function

Hierarchy of levels of ischemia-induced impairment in regional left ventricular systolic function in man, 768

T

Tachycardia

Differential electrophysiologic properties of decremental retrograde pathways in long RP' tachycardia, 21

Tetralogy of Fallot

Evidence of myocardial free radical injury during elective repair of tetralogy of Fallot, V-174

Thermodilution

Determination of stroke volume and cardiac output during exercise: comparison of two-dimensional and Doppler echocardiography, Fick oximetry, and thermodilution, 539

Thrombin

Coagulation responses to heparin in the ischemic limb: assessment of thrombin and platelet activation during vascular surgery, III-8

Thromboembolism

Long-term performance of the St. Jude Medical valve: low incidence of thromboembolism and hemorrhagic complications with modest doses of warfarin, III-132

Thrombolysis

Clinical sequelae of thrombolysis: patient subsets, incomplete occlusion of the infarct-related artery, and coronary collaterals, II-25 The electrocardiogram in patients undergoing thrombolysis for myocardial infarction, II-18

The GISSI Study: further analysis. Gruppo Italiano per lo Studio della Streptokinasi nell'Infarto Miocardio, II-52

Intracoronary thrombolysis in patients with acute myocardial infarction: The Netherlands Randomized Trial and current status, II-63 New thrombolytic drugs in acute myocardial infarction: theoretical and practical considerations, II-31

The path to myocardial salvage by thrombolytic therapy, II-2 Pharmacologic therapy: tissue-type plasminogen activator, II-39

Quantitative analysis of infarct size, contraction band necrosis, and coagulation necrosis in human autopsied hearts with acute myocardial infarction after treatment with selective intracoronary thrombosis, 981

Radionuclide methods for evaluating the results of thrombolytic therapy, II-8

Reinfarction, recurrent angina, and reocclusion after thrombolytic therapy. II-57

Risk of death from recurent ischemic events after intravenous streptokinase in acute myocardial infarction: results from the Intravenous Streptokinase in Myocardial Infarction (ISAM) Study, II-44

Thrombolysis in Myocardial Infarction (TIMI) Trial, Phase I: a comparison between intravenous tissue plasminogen activator and intravenous streptokinase, 142

Thrombosis

Aspirin and dipyridamole in the prevention of acute coronary thrombosis complicating coronary angioplasty, 125

Thromboxane

Cooperative mediation by serotonin S₂ and thromboxane A₂/prostaglandin H₂ receptor activation of cyclic flow variations in dogs with severe coronary artery stenosis, 952

Timole

Beneficial effects of timolol on infarct size and late ventricular tachycardia in patients with acute myocardial infarction, 610

Tissue characterization

Quantitative ultrasonic tissue characterization with real-time integrated backscatter imaging in normal human subjects and in patients with dilated cardiomyopathy, 1067

Two-dimensional ultrasonic tissue characterization: backscatter power, endocardial wall motion, and their phase relationship for normal, ischemic, and infarcted myocardium, 850

Tissue-type plasminogen activator

Pharmacologic therapy: tissue-type plasminogen activator, II-39 Thrombolysis in Myocardial Infarction (TIMI) Trial, Phase I: a comparison between intravenous tissue plasminogen activator and intravenous streptokinase, 142

Tocainid

Modification of the frequency- and voltage-dependent effects of quinidine when administered in combination with tocainide in canine Purkinje fibers, 427

Total anamalous pulmonary venous connection

Infant total anomalous pulmonary venous connection: factors influencing timing of presentation and operative outcome, III-83

Transcutaneous cardiac pacing

Prehospital trial of emergency transcutaneous cardiac pacing, 1337
Transposition of the great arteries

Surgical management of subaortic stenosis in patients with single ventricle and transposition of the great vessels, III-29

Tricuspid atresia

Intermediate follow-up and predicted survival after the modified Fontan procedure for tricuspid atresia and double-inlet ventricle, III-67

Tunnel obstructions

Continuous-wave Doppler velocities and gradients across fixed tunnel obstructions: studies in vitro and in vivo, 657

U

Ultrasound

Duplex scanning for diagnosis of aortoiliac and femoropopliteal disease: a prospective study, 1074

Quantitative ultrasonic tissue characterization with real-time integrated backscatter imaging in normal human subjects and in patients with dilated cardiomyopathy, 1067

Two-dimensional ultrasonic tissue characterization: backscatter power, endocardial wall motion, and their phase relationship for normal, ischemic, and infarcted myocardium, 850

Validation of Doppler-derived pulmonary arterial pressure in patients with patent ductus arteriosus under different hemodynamic states, 1081

Univentricular heart

Problems in the modified Fontan operation for univentricular heart of the right ventricular type, III-45

V

Valve replacement

Aortic valve replacement with a small prosthesis, III-123

Asynchronous primary valve failure in patients with porcine bioprosthetic aortic and mitral valves, III-141

Long-term performance of the St. Jude Medical valve: low incidence of thromboembolism and hemorrhagic complications with modest doses of warfarin, III-132

Strut fracture and other events after valve replacement with the 60 degree convexoconcave Björk-Shiley prosthesis, III-137

Valvular atresia

Modifications of the Fontan operation applicable to patients with left atrioventricular valve atresia or single atrioventricular valve, III-53

Valvular heart disease

Age-related valvular regurgitation: a study by pulsed Doppler echocardiography, 262

Balloon dilatation of porcine bioprosthetic valves in the pulmonary position, 109

Chemically determined mineral content of explanted porcine aortic valve bioprostheses: correlation with radiographic assessment of calcification and clinical data, 1061

Early postoperative changes in left ventricular chamber size, architecture, and function in aortic stenosis and aortic regurgitation and their relation to intaoperative changes in afterload: a prospective two-dimensional echocardiographic study, 77

Postinflammatory mitral and aortic valve prolapse: a clinical and pathologic study, 68

Reconstruction of the mitral anulus, III-102

Transseptal pressure gradient and diastolic ventricular septal motion in patients with mitral stenosis, 974

Valvuloplasty

Combined percutaneous aortic valvuloplasty and transluminal coronary angioplasty in adult patients with calcific aortic stenosis and coronary artery disease, 1298

Mechanisms of increase in mitral valve area and influence of anatomic features in double-balloon, catheter balloon valvuloplasty in adults with rheumatic mitral stenosis: a Doppler and two-dimensional echocardiographic study, 628

Vascular surgery

Coagulation responses to heparin in the ischemic limb: assessment of thrombin and platelet activation during vascular surgery, III-8 Vasconstriction

The paradox of adrenergic coronary vasoconstriction, 737

Ventricular fibrillation

Determinants of induced sustained arrhythmias in survivors of out-ofhospital ventricular fibrillation, 1053

Ventricular function

Clinical application of atrial natriuretic polypeptide in patients with congestive heart failure: beneficial effects on left ventricular function. 115

Comparative influence of load versus inotropic state on indexes of ventricular contractility: experimental and theoretical analysis based on pressure-volume relationships, 1422

Effects of heart rate on ventricular size, stroke volume, and output in the normal human fetus: a prospective Doppler echocardiographic study, 52

Effects of nifedipine on diastolic function during brief periods of flow-limiting ischemia in the conscious dog, 1409

Effects of pacing-induced ischemia on early left ventricular filling and regional myocardial dynamics and their modification by nifedipine, 1232

Impaired left ventricular postischemic function and metabolism in chronic right ventricular hypertrophy, V-168

Left ventricular end-systolic volume as the major determinant of survival after recovery from myocardial infarction, 44 Left ventricular mechanics in the normal newborn, 1029 Load independence of the rate of isovolumic relaxation in man, 1274

Quantitative relationship between left ventricular function and serum cardiac myosin light chain I levels after coronary reperfusion in patients with acute myocardial infarction, 1251

The relationship of afterload to ejection performance in chronic mitral regurgitation, 59

The relationship of various measures of end-systole to left ventricular maximum time-varying elastance in man, 32

Ventricular function after atrial cardioplegia, V-129

Ventricular performance

The development of the entire end-systolic pressure-volume and ejection fraction-afterload relations: a new concept of systolic myocardial stiffness. 343

Quantification of the contractile response to injury: assessment of the work-length relationship in the intact heart, 717

Ventricular septal defect

Transaortic closure of ventricular septal defect in patients with corrected transposition with pulmonary stenosis or atresia, III-88

Ventricular septal motion

Transseptal pressure gradient and diastolic ventricular septal motion in patients with mitral stenosis, 974

Ventricular tachycardia

Beneficial effects of timolol on infarct size and late ventricular tachycardia in patients with acute myocardial infarction, 610

Neodymium:YAG laser photocoagulation: a successful new mapguided technique for the intraoperative ablation of ventricular tachycardia, 1319

Prevention of ventricular tachycardia induction during right ventricular programmed stimulation by high current strength pacing at the site of origin, 332

Prospective evaluation of a sequential pacing and high-energy bidirectional shock algorithm for transvenous cardioversion in patients with ventricular tachycardia, 601

Relief of life-threatening ventricular tachycardia and survival after direct operations, V-93

Verapamil

Inhomogenous capillary flow and its prevention by verapamil and hydralazine in the cardiomyopathic Syrian hamster, 208

Regional effects of verapamil on recovery of excitability and conduction time in experimental ischemia, 1146

w

Wall motion

Two-dimensional ultrasonic tissue characterization: backscatter power, endocardial wall motion, and their phase relationship for normal, ischemic, and infarcted myocardium, 850

Wolff-Parkinson-White syndrome

Conduction over an isthmus of atrial myocardium in vivo: a possible model of Wolff-Parkinson-White syndrome, 637

Electropharmacology of sotalol in patients with Wolff-Parkinson-White syndrome, 810

